



**NAVAL
POSTGRADUATE
SCHOOL**

MONTEREY, CALIFORNIA

THESIS

**INTEGRATION OF THE NAVY TACTICAL
ENVIRONMENTAL DATABASE SERVICES WITH THE
JOINT EFFECTS MODEL**

by

Victor B. Ross III

December 2003

Thesis Advisor:

Neil Rowe

Second Reader:

Carlyle Wash

Approved for public release, distribution is unlimited

THIS PAGE INTENTIONALLY LEFT BLANK

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instruction, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington DC 20503.			
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE December 2003	3. REPORT TYPE AND DATES COVERED Master's Thesis	
4. TITLE AND SUBTITLE Integration of the Navy Tactical Environmental Database Service with the Joint Effects Model		5. FUNDING NUMBERS	
6. AUTHOR (S) Victor B. Ross III, LCDR, USN		8. PERFORMING ORGANIZATION REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Postgraduate School Monterey, CA 93943-5000		10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)		11. SUPPLEMENTARY NOTES The views expressed in this thesis are those of the author and do not reflect the official policy or position of the U.S. Department of Defense or the U.S. Government.	
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release, distribution is unlimited		12b. DISTRIBUTION CODE	
13. ABSTRACT (maximum 200 words) The Oceanographer of the Navy is responsible for the maintenance and distribution of the "4-D cube" of environmental data, the Virtual Natural Environment, using an object oriented database and distribution system, Tactical Environmental Database Services (TEDServices). The new military dispersion modeling capability within the military is called the Joint Effects Model (JEM), and has to have an interface created to allow inclusion of weather data in JEM. This thesis utilizes TEDServices using web protocols to query for available data, and then retrieves the required meteorology data. The software creates a specifically formatted file to be used in JEM. It is now fully functional and submitted to Space and Warfare Command for inclusion in JEM. Much of the testing was to ensure that the data are available and within the reasonable meteorological standards. The thesis also suggests additional changes that should be made to TEDServices to make it more capable of storing and serving environmental data.			
14. SUBJECT TERMS REA, JEM, Dispersion Model, TEDServices, HPAC, Mesoscale Model		15. NUMBER OF PAGES 112	
17. SECURITY CLASSIFICATION OF REPORT Unclassified		18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified
			20. LIMITATION OF ABSTRACT UL
		16. PRICE CODE	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18

THIS PAGE INTENTIONALLY LEFT BLANK

Approved for public release, distribution is unlimited

**INTEGRATION OF THE NAVY TACTICAL ENVIRONMENTAL DATABASE
SERVICE WITH THE JOINT EFFECTS MODEL**

Victor B. Ross III
Lieutenant Commander, United States Navy
B.S., Florida Institute of Technology, 1990

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN COMPUTER SCIENCE

from the

**NAVAL POSTGRADUATE SCHOOL
December 2003**

Author: Victor B. Ross III

Approved by: Dr. Neil Rowe
Thesis Advisor

Dr. Carlyle H. Wash
Second Reader

Dr. Peter Denning
Chairman, Department of Computer Science

THIS PAGE INTENTIONALLY LEFT BLANK

ABSTRACT

The Oceanographer of the Navy is responsible for the maintenance and distribution of the "4-D cube" of environmental data, the Virtual Natural Environment, using an object oriented database and distribution system, Tactical Environmental Database Services (TEDServices). The new military dispersion modeling capability within the military is called the Joint Effects Model (JEM), and has to have an interface created to allow inclusion of weather data in JEM. This thesis utilizes TEDServices using web protocols to query for available data, and then retrieves the required meteorology data. The software creates a specifically formatted file to be used in JEM. It is now fully functional and submitted to Space and Warfare Command for inclusion in JEM. Much of the testing was to ensure that the data are available and within the reasonable meteorological standards. The thesis also suggests additional changes that should be made to TEDServices to make it more capable of storing and serving environmental data.

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE OF CONTENTS

I.	INTRODUCTION.....	1
A.	BACKGROUND.....	1
B.	THESIS WORK.....	2
C.	BENEFIT GAINED.....	3
II.	WEATHER DATABASES AND DATA TRANSMISSION.....	5
A.	BACKGROUND.....	5
B.	CURRENT PROCEDURES.....	6
C.	FUTURE WORK.....	7
D.	THESIS WORK.....	8
III.	SOFTWARE DESIGN AND OPERATING PROCEDURES.....	11
A.	SOFTWARE DESIGN.....	11
B.	OPERATING PROCEDURES.....	12
IV.	PROGRAM DESCRIPTION.....	15
A.	REQUIREMENTS.....	15
B.	INPUT / OUTPUT PARAMETERS.....	15
C.	DATA STRUCTURE.....	17
D.	PROGRAM COMPONENTS.....	17
1.	Program Constants.....	17
2.	Primary Constructor.....	17
3.	Database Checker.....	18
4.	Data Printout.....	19
5.	Output File.....	19
E.	ERROR CHECKING.....	21
F.	PROGRAM CONSTRAINTS AND MODIFICATIONS.....	21
V.	TEST AND EVALUATION.....	23
A.	PERFORMANCE TESTING.....	23
B.	PROGRAM / DATABASE EVALUATION.....	23
VI.	SUMMARY AND RECOMMENDATIONS.....	27
A.	SUMMARY.....	27
B.	RECOMMENDATIONS.....	28
APPENDIX A:	TEST RUN.....	31
A.	SAMPLE COMMAND LINE CALL.....	31
B.	SAMPLE SINGLE TAU OUTPUT.....	31
APPENDIX B:	TEXT OF PROGRAM.....	75
A.	JAWAWEATHER.JAVA.....	75
LIST OF REFERENCES.....		95
INITIAL DISTRIBUTION LIST.....		97

THIS PAGE INTENTIONALLY LEFT BLANK

LIST OF FIGURES

Figure 1. N096 Operational Concept	4
Figure 2. Thesis Data Flow.....	11
Figure 3. JEM Weather Selection Screen	13
Figure 4. Program Procedure Flow	16
Figure 5. Proposed Data Flow.....	29

THIS PAGE INTENTIONALLY LEFT BLANK

LIST OF TABLES

Table 1.	JEM Constants.....	18
Table 2.	Dispersion Parameters	20

THIS PAGE INTENTIONALLY LEFT BLANK

ACKNOWLEDGEMENTS

There are a number of people who made this thesis possible, and while painful at times I hope that it improves operational procedures in the future. First, I must thank my section, Nick, Jeff, Claude, Juan, and honorary member Dave Brown, for all the help getting through two degree programs at the same time. I also want to thank my advisors Chuck Wash and Neil Rowe. Their taking the time to understand the other half of each thesis made the task possible. Of course, the support from SPAWAR was critical to get this project started. Thanks to John Shea for making it all possible. Along the way I was given technical and morale support in many areas. Thanks to the following for keeping me on track and moving forward: Mike Frost, John Cook, Larry Pheagley, Steve Hammett, Dan Geiszler, Roy Ladner, and Carl Baribault. Finally, there was another part of life that I can't dismiss. While not in class, I had to find diversions to make life worth living. My time in Monterey would not have been fulfilling without my time spent in the Trident Room for METOC Thursdays. A little closer to home, I have to thank the Bulldog Pub, Barbary Coast Theater, and Monterey Bay Aquarium for giving me something to do with my free time while here in Monterey.

I. INTRODUCTION

A. BACKGROUND

The new Operational Concept published by the Oceanographer of the Navy (N096) proposes a new way of collecting and disseminating meteorological and oceanographic data to military forces. Its goal is "Empower our operating forces to dominate the battle space through superior understanding and exploitation of the natural environment of the ocean and atmosphere" (Oceanographer of the Navy, 2002). To enable this concept to become a reality, the "4D Cube" is proposed. It is defined as "a virtual entity of geospatially referenced data, information and knowledge used to support interoperable nodes/systems" (Oceanographer of the Navy, 2002). The 4D cube is basically a 3 dimensional representation of the world with the added time dimension. The knowledge base that will house the 4D cube will be called the Virtual Natural Environment (VNE).

This knowledge base will be implemented using Tactical Environmental Database Services (TEDServices), a replicated database running at Meteorology and Oceanography (METOC) locations around the globe. This replicated system of data allows for continuous data retrieval at remote locations if there are breaks in communications which could preclude forecasters from completing their jobs. This includes the next generation of dispersion modeling software for the Department of Defense (DOD) called the Joint Effects Model (JEM) (Integrated Chemical and Biological Defense Research, Development and Acquisition Plan, 2003). The software needs

access to the most recent meteorological data sets stored in TEDServices to run simulations on the effects of Weapons of Mass Destruction (WMD) and Weapons of Mass Effect (WME). Dispersion models are used to simulate the movement and dispersion of the nuclear, biological, and chemical (NBC) agents based upon the model prediction of the atmospheric conditions (Johnson-Winegar, 2003). Biological and chemical attacks are always a concern for deployed military forces, but the Navy must also contend with a possible strike that could cause nuclear dispersion. Since any strike against troops using an NBC agent is potentially lethal, the interface back to the METOC data is a critical system path.

B. THESIS WORK

TEDServices and JEM require a new database storage capability and network access ability. JEM is a mathematical model consisting of both Java and Fortran code designed to calculate the dispersion of NBC agents. JEM is available both as a Web-enabled and stand-alone application. Each implementation needs direct access to the current meteorological data stored in TEDServices. Since most computer security restrictions only allow Web based queries, this thesis creates an access capability to be used by JEM to access TEDServices using the Web access protocol on ports 80 or 443. This access will normally be within a localized intranet if possible, but can also be across the larger network infrastructure if there is no local TEDServices. It also allows for placing data created by JEM back into a local or centralized TEDServices database. This allows for the data to be displayed as part

of the Common Relevant Operating Picture (CROP) to Joint Forces around the world. This should support the areas of the Operational Concept as highlighted in Figure 1.

C. BENEFIT GAINED

Current WMD/WME data is specifically run on dedicated platforms, and the output is only displayed as independent graphics for decision makers. Since all operational dispersion models must have meteorological boundary conditions to run (Defense Threat Reduction Agency, 2003), the proposed implementation of JEM and TEDServices will allow for increased availability of the dispersion modeling capability as well as the dissemination of the output from the dispersion model.

Naval Oceanography Program Operational Concept: 2007-2015




Figure 1. N096 Operational Concept (After Oceanographer of the Navy, 2002)

II. WEATHER DATABASES AND DATA TRANSMISSION

A. BACKGROUND

Many reasons for using a database to store weather information may not be obvious to the non-meteorologist. Many issues associated with weather data collection and dissemination can only be effectively solved using databases. The first is the actual collection locations which are scattered around the world and orbiting on satellites. This creates thousands of possible data points over the course of a day. Second is the timing of data collection and use. Weather data is highly perishable with valid use times ranging from seconds to hours and is frequently collected at irregular intervals. The other major issue can be associated with the physical size of the data files themselves. Each of the previously listed data sources give only the current data collected from the atmosphere, but the forecasting of atmospheric conditions can create even larger data sets. Binary forecast data files representing only a single parameter at a single atmospheric level at a single time are currently around 45Kb, and standard production models such as the Navy Operational Global Atmospheric Prediction System (NOGAPS) can have over 100 atmospheric parameters, 30 levels, and over 32 times. In comparison to that, a single observation can be less than 200 characters, but there are thousands issued every day. The actual forecast usually deals with a specific subset of the binary data and a superset of observations. Bandwidth limitations for deployed units make it impossible to access all the available data sets.

For a database to be used to store METOC data, it has to be able to ingest geographic coordinates, parameters, levels, and times. Specific subsets of requested data from all the data stored in the database are then sent to the user in a usable format as defined by both the military and the World Meteorological Organization (WMO). This must include the different in situ and remotely sensed observations as well as forecast information that fits within the request area and time. Since METOC needs vary drastically according to the work being proposed, a database must store and retrieve the data rapidly from the larger data store.

B. CURRENT PROCEDURES

The current system for disseminating weather data in the U.S. Navy uses a hybrid Informix database, Tactical Environmental Data Server (TEDS), and a transmission system on network port 80 or 443 called METCAST. The primary database is located at Fleet Numerical Meteorology and Oceanography Center (FNMOC) in Monterey, CA. Regional centers located around the world, as well as carriers and amphibious landing ships, have smaller versions installed. Each of the smaller versions can pull data from the other servers as well as adding their own localized data to the database.

While there are still numerous versions deployed around the world, over the past seven years the three different versions of TEDS have been consolidated into a single version. The different versions were developed from the same original framework, but the data stores were

modified to contain specific data structures to accommodate separate developmental programs. The first operational version of Single TEDS was sent to Hawaii for final testing in early 2003. The single version of TEDS has helped to reduce the overall expense of maintaining the systems, but since this system uses a proprietary database, the maintenance costs are still very high.

C. FUTURE WORK

In order to allow for more copies of a METOC database at all available locations, a new data dissemination system, TEDServices, is being created. This Java-based, object-oriented database, Ozone (Ozone Database Project), is open-source and can be replicated many times within Navy activities without charge. Much like METCAST, the data dissemination portion of the system uses an open-source Web server, Apache-Tomcat, to allow data pulls over accepted Navy ports such as 80 and 443. The open-source nature of the TEDServices database makes the total cost of development significantly lower, and there is no increased cost for deploying a larger network of databases around the Navy. This is particularly important since the databases will have to be deployed to enable Rapid Environmental Assessment (REA), and constant communications with deployed units is not guaranteed. The REA process is new to military applications, and will improve forecasting by looking only at short term forecasts utilizing the most current data sources. While most modeling is done on a set schedule, the REA process is designed to reassess the environment on a shorter and possibly irregular time scale. Having an on-scene METOC database allows the deployed units

to continue to fulfill obligated REA duties when communications are interrupted. Each of the METOC databases will need to ingest local information and disseminate that information to weapons and modeling systems within the deployed network.

D. THESIS WORK

This thesis enables sites to request weather data from TEDServices for dispersion modeling. This will allow JEM or the current dispersion model, Hazard Prediction and Assessment Capability (HPAC), to retrieve the required fields to model the dispersion from a WMD/WME. Since both JEM and TEDServices are in early development, there is no interface between the two applications. This thesis will build an interface as part of JEM. The interface is written in Java 1.4.1, and will extract data from the current beta version 2.2 of TEDServices (Naval Research Laboratory - Stennis Space Center, 2003).

Data extraction from the database requires "cutting" 3-dimensional subsections and reallocating them to follow the MEDOC grid specification required for JEM or HPAC. MEDOC is a specific meteorological data format created by the Defense Threat Reduction Agency (DTRA) for use in dispersion modeling. This requires examining map projection, grid density, grid boundaries, sigma levels, topography, and grid de-staggering to make the required extraction usable by JEM. It will also have to check the database for available models that cover the same geography and time constraints in the requested area, choosing among different models, geographic coverages, times, and data

resolutions. The next proposed plan is to create a secondary database containing only the VNE. This will only store a current time, best model and resolution for the entire globe. The decision as to how the models will be selected to create the VNE has not yet been made, so this thesis will use the Navy's Coupled Ocean-Atmosphere Mesoscale Prediction System - On Scene (COAMPS-OS) as a first attempt to represent the best atmospheric forecast used in the VNE.

THIS PAGE INTENTIONALLY LEFT BLANK

III. SOFTWARE DESIGN AND OPERATING PROCEDURES

A. SOFTWARE DESIGN

The current methods for METOC data movement will require changes to be successful in the future. This thesis addresses a single problem within that movement pattern. With the current tools, data must be passed in and out of various databases. The overall data flow is shown in Figure 2, showing how TEDS and TEDServices must be queried to get the data in and out of the TEDServices database for use by JEM.




Figure 2. Thesis Data Flow

The thesis covers the inclusion of gridded atmospheric forecast data into TEDServices and the extraction of that same data for HPAC or JEM in the correct format. Data being inserted into both databases is in an Institute of Electrical and Electronics Engineers (IEEE) format, and

TEDServices accepts requests and returns the data as Java objects. HPAC or JEM must have the data MEDOC format. The IEEE to Java and Java to MEDOC formats are specific to METOC and WMD/WME applications. The HPAC or JEM application sends a request to the data servers, and waits for a formatted reply. The thesis software must query TEDServices, and it must determine which of the available models, available model resolutions, available valid times, and available parameters in the database should be sent back to the JEM or HPAC model. The software must then reformat the data from the Java objects to the required MEDOC format.

B. OPERATING PROCEDURES

This thesis project only addresses a small part of the complete JEM and HPAC projects. When completed, JEM will be used by all DOD branches for operational dispersion modeling. Since the end user of the application could be anyone in DOD, some assumptions must be made about the data needed from TEDServices. All observations, imagery and forecast data must be populated in TEDServices, but since the meteorological knowledge of the JEM user is unknown the VNE is used as the data source. This method assigns the requirements for the selection of the best available METOC data source to the DOD METOC command maintaining TEDServices and not the individual field user.

The primary reason for creating JEM is to reduce the number of WMD/WME applications in use by DOD personnel. The three primary models used in DOD are HPAC, Emergency Management Information System (D2PUFF), and the U.S. Navy's

Chemical/Biological Agent Vapor, Liquid, and Solid Tracking model (VLSTRACK). The complexity and differing outputs from these applications have created problems for the DOD commanders who need this time-critical modeling output. JEM is designed to use the VNE to remove the METOC level of complexity. The new interface shown in Figure 3 has a single selection to import weather data, and leaves all of the METOC decisions the supporting METOC suppliers.




Figure 3. JEM Weather Selection Screen (From JEM)

One consideration not addressed by the JEM developers is the classification of the data in the project. Since WMD/WME planning and implementation is frequently classified, the system needs to be able to handle classified data, something TEDServices does not currently support. It assumes that all data within the database is

of the same classification as the network on which it resides. Unfortunately, if a user needs to provide the data to agencies with different classifications, it cannot currently be accomplished using TEDServices.

The management of classified data by JEM should make it much easier for the non-weather user to successfully use weather input for dispersion modeling. This will be accomplished not only by the software, but by the METOC professionals deciding which datasets should be included to create the VNE (Oceanographer of the Navy, 2002). This is extremely important in the operational theaters since different METOC data can create drastically different results from the dispersion model. By giving all users access to the best available baseline data and techniques for REA, the battle commander can be assured that modeling simulations will be consistent and the best available with current modeling techniques.

IV. PROGRAM DESCRIPTION

A. REQUIREMENTS

The JEMWeather program is written using Java SDK 1.4.1 (Schildt, 2002) for compatibility with the rest of the JEM code. Since it is Java, it is platform independent. As part of the larger JEM project, it will need constants defined in the primary JEM structure. For this thesis, the constants used are defined in the main procedure file written at NPS. Since the program has to interface with the TEDServices database structure, it must access the included TEDServices classes provided by the Naval Research Lab - Stennis Space Center (NRL-SSC).

B. INPUT / OUTPUT PARAMETERS

The thesis software tries to collect all required data from TEDServices. To accomplish this, two inputs are required from the user. The first is a bounding box of latitudes and longitudes passed as a float array with the format of "north, south, east, west". Second is an incident time passed as a string with the format "YYYY.MM.DD HH MM SS." The program retrieves the data from TEDServices and creates a data file of atmospheric variables at different atmospheric levels and times. It checks the database to determine which data should be given to the requesting routine. It checks to ensure that the requested properties of that data are available. The appropriate data is then formatted to the requested output format and written to a text output file. This is shown in Figure 4 with the sample input and output shown in Appendix A.




Figure 4. JEMWeather Procedure Flow

C. DATA STRUCTURE

The primary data structures used in this program are the inherent Java structures for hash maps and arrays, as well as some TEDServices-specific data structures. The most prominent TEDServices structure is the GridParameters3D object. This is a database-derived Java object that contains a complete volumetric representation of the field requested at all requested levels and times. The object also contains specific information identifying the structure and time of the associated data field. (Navy Research Laboratory - Stennis Space Center, 2003)

D. PROGRAM COMPONENTS

1. Program Constants

The JEMWeather program constants are listed in Table 1. Each of these is used in the thesis software, but will be stored in the JEM initialization file eventually. This initialization file will be changeable by the user through a JEM interface.

2. Primary Constructor

The primary Java constructor contains the initial call to the database to check the available data and valid times contained in TEDServices. This allows the user, during debugging, to determine which model fields have been returned by invoking the data printout routine. Primary error checking for the contents of the TEDServices as well as file systems is contained in this component. The final step within the constructor writes the data out to a file for use by JEM or HPAC. The constructor will pull all the fields specified in the 2D and 3D field variables. This

was left to be easily modified since the number and type of variables used by JEM should expand as the dispersion modelers make more use of the available meteorological fields.

VARIABLE	USAGE
database	Database address
Port	Port Contact Number
uName	Database login name
uPass	Database password
tauInc	Time offset for tau selection
htCoord	Height Coordinates
strAttributesCodes3	3D Grid Parameters
strAttributesCodes2	2D Grid Parameters
outputDir	Output location for the files
DUMMY_GRID	Name for place holding grid

Table 1. JEM Constants

3. Database Checker

The database checker does a full query of the available data in the TEDServices database. This component queries what models are available before checking the other criteria. If the database is functioning correctly the only model forecast data will be that which is considered by the METOC professionals to be the best available model. To select the VNE, the ATMOSPHERIC_FORECAST model type is the required argument. JEMWeather must also look for what forecast run times are available. This is the only way to

ensure that the most recent model run is used for the dispersion modeling. The selection should be the most recent run time, but it must ensure that the forecast extends far enough into the future to be useful in dispersion modeling. The final checks are of the model resolution, and to ensure the required data fields are in the database for the current forecast run time. If the database does not have the data it needs, it returns an error to the calling routine.

4. Data Printout

Data printout is designed for error checking. It shows the bounding box of the data retrieved from the database. It also shows the times, levels, and parameters retrieved from TEDServices. While this component is not used by the operational JEM user, it is very important for developers to be able to see what datasets and associated parameters are being returned to the primary data file written to disk.

5. Output File

An output file is created for JEM or HPAC. The output file has to meet the specified MEDOC standard created by DTRA. Each valid forecast time requested needs a specific header followed by data fields. Each of the entries in the file must be exactly spaced. No tabs or other special characters are allowed. Each section of the file is divided into three subsections.

The header subsection must have a 12-field format with the numbers right justified within the field. The date and

time fields must be the actual times that the data will be valid. This is accomplished using the Date function in Java. The valid time is calculated by adding the hours after forecast, *taus*, to the model run time. This header must also show the sigma level, terrain-following height above the ground, for each data point. This data is limited to the lower 20 atmospheric levels, and it must be listed with four numbers after the decimal.

The next subsection must contain the short names prescribed in the MEDOC format to show which fields will be included in the data section. These text names have to be in a 9-field formatting with the characters left justified. There are a number of 3D fields and a single 2D field that must be included. All the fields are listed in Table 2. (Defense Threat Reduction Agency, 2003) Since the database returns an array of gridded data, the grid for TOTAL_PRESSURE is requested as the PHI grid. This grid is used as a place holder that is then replaced by a computed grid based upon the SIGMA_HEIGHT and the TERRAIN_HEIGHT.

3D				2D
U_WIND	W_WIND	V_WIND	PHI	TERRAIN_HEIGHT
POTENTIAL_TEMPERATURE				
WATER_VAPOR_MIXING_RATIO				

Table 2. Dispersion Parameters

The final subsection of each data section contains the actual data from the grids. These require the correct 12-field formatting and the four digits after the decimal place. The ordering for the data is specified in the

bottom of the header section described above. Each section is repeated for the full number of valid times collected from TEDServices.

E. ERROR CHECKING

This program uses built-in Java error checking that ensures that the files are present. Error checking in TEDServices is still immature, but the thesis program uses a generic try-catch routine to catch errors that occur while implementing TEDServices. The data can then be displayed to the user with a comment that the database is not functioning correctly. The most critical error checking is in the database-cataloging portion of the software. By ensuring that all the needed data is available, the program should prevent any incomplete calls to the database.

F. PROGRAM CONSTRAINTS AND MODIFICATIONS

The TEDServices database is still under development, and its interface has changed. One primary change is the ability to catalog TEDServices. This is essential for checking to see if there is data available. Without this addition, the database returned an error that the retrieval could not be accomplished. By using a separate interface a Web page can be retrieved and parsed to determine the current status of the database. A direct interface which allows the return of Java objects would be a more efficient.

Global longitude was stored in a 0° to 360° order starting at Greenwich, UK and continuing east around the

globe. Since most people enter longitude in a -180° to 180° arrangement, there was a conversion to accept values less than 0° and convert them. Recent updates have corrected this issue when using COAMPS, but will have to be resolved with different models as they are added to TEDServices.

The program also has to convert from model run time with tau to valid times to reduce the amount of data pulled. This is important to all limited-bandwidth users since it will not pull unneeded data from TEDServices. Since the input to the program is an event time for when the incident occurred, the program must convert it to a model run time and taus that follow the valid time. For this thesis, COAMPS-OS was set to run at 0000Z and 1200Z. An example is when the incident occurs at 2003 08 23 1130Z. Under the current TEDServices structure, the data that needs to be retrieved is model run time 2003 08 23 0000Z taus 10, 12, 14, 16, 18, 20, 22, and 24. An unrefined data pull would also pull the taus at 00, 02, 04, 06, and 08.

Each of these described parts of the program will accommodate the current level of the TEDServices interface, and will allow for easy changes if TEDServices changes. When TEDServices changes are complete the excess code should be removed to help reduce program size.

V. TEST AND EVALUATION

A. PERFORMANCE TESTING

Since this program is a component within the larger JEM program, it was designed to be small. Its performance will be affected by the available bandwidth since it has to collect data from TEDServices. In these experiments, TEDServices was run on the same network so network latency was minimal. To reduce necessary bandwidth, the program only requests data that is valid after the time of the WMD/WME event. This can easily reduce the total data requested from TEDServices by 25% to 50%. The timeliness of this new system allows for a test area with a final file size of approximately 2.5 MB to be downloaded, formatted and stored in approximately one minute. Because of the ability to do the check what is available in TEDServices, the program always returns the requested data or an error message.

B. PROGRAM / DATABASE EVALUATION

The initial program used the idea that the output file could be split with a regular expression such as a tab to create the formatting, but the HPAC and JEM programs could not use this output. This problem is made worse by the first column of each row being one space shorter than the other five columns in the row. After more testing, the use of the Java substring command seemed the best solution. The program has a string of spaces, and then selectively replaces the characters starting from the rightmost space to create the columns required for JEM and HPAC.

The JEM and HPAC dispersion modeling requires that the data files be in MEDOC format using a generic spherical projection. Since TEDServices cannot currently handle the mid-latitude native projection for COAMPS-OS, Lambert-Conformal Conic, the model was run using a spherical projection. Since the spherical projection does not have the best representation of the earth in the mid-latitudes, the spherical projection slows the model calculations and almost doubled the run time on the system used. A better alternative would be to modify TEDServices to accept gridded binary data in any projection type and reproject the data during extraction. TEDServices should be modified to accept a supplied variable that identifies the projection type of the data when stored.

Another needed parameter when selecting the grid is the security classification. Many models are run at different classifications, and some models can have multiple classifications. TEDServices must pull the data based on classification method as well. This would require rewriting part of the thesis code to allow for a new Grid3D parameter.

Although the VNE is stored in TEDServices, there is no way to specify model resolution. Since models are run at varying resolutions, cataloging and extraction should find and identify data of the proper resolution. The code for this thesis works because only one model resolution is submitted to TEDServices in a given time frame; if there are multiple resolutions over the same area, the program will retrieve them all. This presents a problem to the JEM or HPAC code since neither can deal with multiple sets of

model data. Fixing this will not be as easy since the resolution is usually chosen by a trained meteorologist since there are many factors to consider. Another approach would be to allow the VNE to hold only the best-resolution model for the area in concern. This would make the process easier in many cases, but would not help when multiple models cover an area with the same resolution. It also ignores how close the requested area is to the boundary of a specific nest.

The current program pulls all available height levels, but it needs a more specific ability to pull one of the three available height coordinates. The current coordinate systems are MILLIBAR, SIGMA, and DISTANCE. With JEM or HPAC, the coordinate system used is the SIGMA level, the height above the terrain. A way to resolve this problem within this thesis is to only put the SIGMA level data into TEDServices.

THIS PAGE INTENTIONALLY LEFT BLANK

VI. SUMMARY AND RECOMMENDATIONS

A. SUMMARY

This program is one of the new meteorology interfaces being designed for the JEM system, and it streamlines the data interface required for dispersion modeling. The HPAC interface requires individual usernames and passwords, knowledge of available models, and which database servers are available. This thesis interface collects all of this information from configuration files making it easier for the end user.

It also attempts to retrieve the correct data without retrieving all available data and wasting bandwidth. The program creates an output file in the prescribed MEDOC format for backward compatibility with HPAC. It outputs a file instead of just passing the variables to allow for a single download of meteorological data for multiple possible dispersion model runs.

There are issues that need to be solved to make this program more robust. The most important is the classification issue, which will require a change to the database, but should be done immediately. There can also be some future removal of code as the database becomes better equipped to deal with valid times instead of forecast times and TEDServices starts storing grids in the more standard convention of -180° and 180° of longitude.

Specific testing of timing within the database was shown to be superior in two different facets. Since the database is run locally, there are minimal network latency issues. This was shown repeatedly when attempting to

collect the required data for the dispersion model. Times from the remote database ranged from 6 to 40 minutes, while times from TEDServices ranged from 30 seconds to 3 minutes. This is probably also attributed to the fact that TEDServices does not interpolate points from the model. The current TEDS database will give interpolated values based upon the data request. TEDServices does not interpolate values, but returns the actual values stored in the database. Each of these factors is of benefit when attempting to do REA and WMD/WME scenarios.

B. RECOMMENDATIONS

Recommendations to make this program and the overall TEDServices database more useful to the METOC community would include adding the following functionalities.

1. The ability to ingest and output data in World Meteorological Organization Gridded Binary (GRIB) format. This is the standard for gridded model data and should be fully supported so that dispersion modelers can use any model produced.
2. TEDServices needs to support other METOC models. Many nonmilitary models available are not supported.
3. The ability to output IEEE file formats for use by other models. This will allow TEDServices to be used as a data source for atmospheric modeling.
4. The ability to ingest and output atmospheric and oceanic observations. Many times the individual observations help with the initialization of the dispersion model, but this data is not currently available from TEDServices.

5. The ability to set a security classification level for individual models or observations. Military data has different classification levels, and the available data needs to be marked and handled appropriately.
6. The ability to select grid size. There are times when a smaller grid size is not preferable.
7. The ability to select data based on the forecast time and the valid time. Currently the database stores items with the forecast time and time offsets from it, but many applications look for data starting with the time that the application needs. Without this unneeded data will be retrieved.

The overall data flow of the REA and dispersion modeling needs to be streamlined as shown in Figure 5.




Figure 5. Proposed Data Flow

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX A: TEST RUN

A. SAMPLE COMMAND LINE CALL

JEMWeather 33.0 32.5 -117.0 -117.5 2003.11.05.13.00

B. SAMPLE SINGLE TAU OUTPUT

FFFFFFFF

NRLCOAMPS

5	11	03	13	0	0
5	11	03	13	0	0
8	8	20	0	6	1
0	0	0	0	0	0
0	0	0			
10.0000	30.0000	55.0000	90.0000	140.0000	215.0000
330.0000	500.0000	750.0000	1100.0000	1600.0000	2300.0000
3100.0000	3900.0000	4800.0000	5800.0000	6800.0000	7800.0000
8675.0000	9425.0000	0.0900	0.0900	-999999.0000	-999999.0000
32.4590	-117.5680	0.0000	0.0000	0.0000	0.0000
0.0000					
U	V	W	T	H	PHI
M/S	M/S	M/S	KELVIN	GM/GM	METERS
TOPO	METERS				
1.6951	1.3273	0.9199	0.3220	-0.7150	-1.8808
-2.6554	-2.8663	1.5813	1.2433	0.8369	0.1841
-0.9546	-2.1005	-2.7175	-2.8325	1.4557	1.1561
0.7441	0.0114	-1.1138	-2.1845	-2.6800	-2.6646
1.3045	1.0469	0.6042	-0.2698	-1.2978	-2.0116
-2.4041	-2.4618	1.1201	0.9163	0.4470	-0.5539
-1.5781	-2.1020	-2.3470	-2.3121	0.9111	0.7817
0.3050	-0.7743	-1.8389	-2.2899	-2.4509	-2.3574

0.6986	0.6466	0.1285	-1.0293	-1.9939	-2.3060
-2.3905	-2.2693	0.4895	0.3887	-0.3533	-1.4543
-2.0329	-2.1648	-2.2299	-2.1294	1.7110	1.3393
0.9323	0.3584	-0.7347	-2.1939	-3.2932	-3.5711
1.5957	1.2546	0.8510	0.2262	-0.9724	-2.4151
-3.3046	-3.3869	1.4687	1.1672	0.7627	0.0438
-1.1323	-2.3750	-3.1115	-3.1074	1.3151	1.0584
0.6381	-0.3008	-1.6721	-2.7565	-3.1508	-2.8795
1.1280	0.9283	0.4856	-0.6059	-2.0311	-2.9157
-3.0873	-2.6934	0.9160	0.7940	0.3425	-0.8102
-2.1803	-2.8753	-2.9385	-2.5651	0.7005	0.6649
0.1686	-1.0708	-2.2725	-2.7277	-2.7084	-2.3822
0.4921	0.4314	-0.3381	-1.6472	-2.4252	-2.5701
-2.5295	-2.2732	1.7198	1.3467	0.9410	0.4065
-0.4702	-1.4435	-2.0209	-2.0499	1.6039	1.2618
0.8621	0.2861	-0.6717	-1.6140	-1.9933	-1.8291
1.4760	1.1746	0.7814	0.1094	-0.8322	-1.6102
-1.8319	-1.4947	1.3206	1.0657	0.6813	-0.1109
-1.1049	-1.6870	-1.6712	-1.1683	1.1317	0.9366
0.5453	-0.2955	-1.1954	-1.5614	-1.4360	-0.9313
0.9177	0.8044	0.4087	-0.4030	-1.1365	-1.3335
-1.1722	-0.7418	0.6995	0.6857	0.2854	-0.4857
-1.0061	-1.0823	-0.9247	-0.5664	0.4914	0.4948
0.0991	-0.5261	-0.8212	-0.8488	-0.7881	-0.5337
1.7272	1.3539	0.9513	0.4797	0.0266	-0.2089
-0.2307	-0.0767	1.6107	1.2692	0.8768	0.3861
-0.0941	-0.3129	-0.2590	-0.0193	1.4821	1.1820
0.8122	0.3063	-0.1327	-0.3010	-0.2066	0.1119
1.3251	1.0730	0.7481	0.3351	-0.0098	-0.1184
0.0007	0.3345	1.1342	0.9474	0.6604	0.3038

0.0898	0.0903	0.2136	0.5589	0.9179	0.8229
0.5869	0.3038	0.1929	0.2486	0.3729	0.7168
0.6965	0.7244	0.7006	0.5260	0.3762	0.3946
0.5234	0.9039	0.4905	0.5905	0.6425	0.6035
0.5776	0.5761	0.6630	1.0342	1.7346	1.3632
0.9704	0.5800	0.4517	0.6745	0.9218	1.0735
1.6178	1.2792	0.9038	0.5267	0.3863	0.5975
0.8950	1.1174	1.4886	1.1926	0.8643	0.6019
0.5428	0.6833	0.9499	1.2242	1.3303	1.0856
0.8348	0.7160	0.8085	1.0154	1.2202	1.4192
1.1374	0.9679	0.8309	0.8461	1.0698	1.3466
1.4917	1.6418	0.9183	0.8584	0.9141	1.0899
1.3434	1.6124	1.7116	1.8286	0.6953	0.7713
1.0231	1.3154	1.5808	1.8152	1.8932	2.0276
0.4933	0.6871	1.0291	1.4019	1.7236	1.8938
1.9371	2.0904	1.7436	1.3782	1.0114	0.7258
0.7787	1.1375	1.3947	1.4484	1.6266	1.2963
0.9578	0.7134	0.7452	1.0485	1.3348	1.4495
1.4974	1.2132	0.9399	0.8245	0.9428	1.1770
1.4128	1.5576	1.3383	1.1111	0.9337	0.9540
1.1898	1.4766	1.6562	1.7279	1.1446	1.0025
0.9650	1.1122	1.4467	1.7972	1.9123	1.9085
0.9243	0.9020	1.0523	1.3344	1.6779	2.0118
2.0854	2.0507	0.7011	0.8234	1.1526	1.4892
1.7737	2.0315	2.1067	2.1574	0.5049	0.7564
1.1347	1.4924	1.8204	2.0159	2.0652	2.1734
1.7563	1.4062	1.1031	0.9886	1.2138	1.6517
1.9691	2.0924	1.6398	1.3298	1.0699	0.9989
1.1488	1.4539	1.7568	1.9268	1.5124	1.2561
1.0663	1.0615	1.2142	1.4208	1.6613	1.8568

1.3548	1.1631	1.0649	1.1218	1.3015	1.5385
1.7360	1.8678	1.1621	1.0595	1.0853	1.2148
1.4514	1.7542	1.8975	1.9420	0.9413	0.9559
1.1372	1.3741	1.6427	1.9630	2.0632	2.0319
0.7193	0.8751	1.2022	1.4766	1.7369	2.0267
2.1079	2.1027	0.5289	0.8111	1.1476	1.4213
1.7559	2.0115	2.0734	2.1165	1.7911	1.4917
1.3501	1.4591	1.7381	2.0504	2.2325	2.2674
1.6768	1.4304	1.3475	1.4693	1.6185	1.7695
1.9172	1.9762	1.5586	1.3805	1.3543	1.4519
1.5063	1.5216	1.6001	1.6912	1.4097	1.3037
1.3201	1.3454	1.3006	1.2962	1.3467	1.4242
1.2213	1.1828	1.2166	1.1583	1.0732	1.1127
1.1517	1.2212	0.9974	1.0365	1.0966	0.9929
0.8748	0.9488	1.0127	1.0916	0.7740	0.8977
0.9658	0.7854	0.6540	0.7671	0.8859	1.0452
0.5793	0.7415	0.7078	0.5175	0.5305	0.6921
0.8479	1.0860	2.4901	2.6982	2.7762	2.5691
2.2285	1.9945	1.8537	1.7625	2.4605	2.6538
2.6841	2.4603	2.0759	1.7995	1.6913	1.6235
2.4162	2.5839	2.5681	2.3120	1.9177	1.6023
1.4836	1.4686	2.3166	2.4452	2.3802	2.0659
1.6538	1.3836	1.2933	1.3337	2.1251	2.2043
2.0904	1.7216	1.3363	1.1656	1.1373	1.2752
1.8465	1.8728	1.7227	1.3500	1.0168	0.9614
1.0468	1.3024	1.4967	1.4828	1.3134	0.9465
0.7163	0.8066	1.0286	1.4217	1.1285	1.0897
0.8615	0.5903	0.5942	0.8011	1.1049	1.5952
4.0980	4.0699	3.8242	3.3953	2.9253	2.5244
2.1583	1.8667	3.7571	3.6325	3.3506	2.9687

2.5490	2.1959	1.9253	1.7352	3.3171	3.1213
2.8308	2.4928	2.1436	1.8509	1.6814	1.6587
2.8022	2.5797	2.3175	2.0211	1.7342	1.5411
1.4900	1.6512	2.2921	2.0907	1.8796	1.6237
1.4094	1.3236	1.3857	1.7338	1.8822	1.7298
1.5724	1.3631	1.2119	1.2270	1.4095	1.9116
1.6236	1.5240	1.4046	1.2204	1.1444	1.2751
1.5817	2.2036	1.5127	1.4458	1.3119	1.1976
1.2644	1.4732	1.8563	2.5515	1.7088	1.5493
1.4599	1.3801	1.2882	1.2027	1.2090	1.4603
1.6482	1.6042	1.5746	1.5077	1.4211	1.3970
1.5203	1.8928	1.6715	1.6871	1.6621	1.5768
1.4940	1.5399	1.8172	2.3676	1.7359	1.7587
1.7027	1.5948	1.5460	1.6764	2.0908	2.8335
1.7988	1.7924	1.6944	1.5835	1.6038	1.8323
2.3671	3.2780	1.8358	1.7864	1.6608	1.5786
1.6957	2.0468	2.6901	3.7077	1.8435	1.7610
1.6490	1.6463	1.8923	2.3798	3.1222	4.1751
1.8360	1.7407	1.6895	1.8349	2.2146	2.7745
3.5681	4.6200	2.7152	2.6151	2.4385	2.3423
2.5089	2.9851	3.7771	4.8534	2.9120	2.8049
2.6357	2.5422	2.7516	3.3550	4.2778	5.4324
3.0558	2.9445	2.7978	2.7540	3.0172	3.7001
4.7262	5.9442	3.1652	3.0629	2.9564	3.0067
3.3844	4.1113	5.1452	6.3951	3.2513	3.1768
3.1262	3.2853	3.7740	4.5175	5.5287	6.7872
3.3194	3.2886	3.2974	3.5353	4.1079	4.8863
5.8825	7.1264	3.3790	3.3988	3.4788	3.8235
4.4878	5.3128	6.3060	7.4880	3.4422	3.5123
3.7271	4.2326	4.9331	5.7327	6.7070	7.8391

6.5295	6.6572	6.7558	6.9495	7.3761	8.0220
8.8437	9.7667	6.5822	6.7442	6.8972	7.1120
7.5525	8.2623	9.1426	10.0874	6.6238	6.8240
7.0304	7.3005	7.7598	8.4814	9.3919	10.3460
6.6728	6.9050	7.1473	7.4859	8.0245	8.7418
9.6122	10.5675	6.7365	6.9883	7.2477	7.6446
8.2510	8.9583	9.8010	10.7701	6.8175	7.0769
7.3375	7.7528	8.4034	9.1370	9.9850	10.9734
6.9255	7.1828	7.4471	7.9178	8.6287	9.4019
10.2704	11.2424	7.0689	7.3217	7.6691	8.2534
8.9593	9.7098	10.5947	11.5723	10.2205	10.4050
10.5704	10.7935	11.1649	11.6567	12.2302	12.8151
10.2637	10.4757	10.6729	10.8894	11.2476	11.7788
12.4027	13.0309	10.3056	10.5410	10.7603	10.9960
11.3468	11.8797	12.5403	13.2065	10.3376	10.5859
10.8118	11.0818	11.4881	12.0172	12.6617	13.3657
10.3578	10.6052	10.8248	11.1321	11.5984	12.1341
12.7853	13.5379	10.3736	10.6084	10.8150	11.1382
11.6619	12.2502	12.9405	13.7427	10.4051	10.6204
10.8212	11.2044	11.8060	12.4606	13.2021	14.0157
10.4798	10.6805	10.9552	11.4492	12.0625	12.7294
13.5187	14.3600	12.7571	12.9016	13.0687	13.3167
13.7035	14.1704	14.6648	15.1571	12.7602	12.9127
13.0856	13.3107	13.6876	14.2156	14.7980	15.3799
12.7801	12.9321	13.1003	13.3271	13.6988	14.2499
14.9034	15.5613	12.7945	12.9422	13.1006	13.3500
13.7742	14.3348	14.9996	15.7207	12.7920	12.9321
13.0811	13.3662	13.8517	14.4306	15.1197	15.8964
12.7793	12.9097	13.0567	13.3731	13.9269	14.5646
15.2936	16.1060	12.7845	12.9080	13.0728	13.4697

14.1093	14.8070	15.5699	16.3688	12.8553	12.9862
13.2436	13.7566	14.4095	15.1152	15.9103	16.7125
16.4943	16.5727	16.7143	16.9529	17.3225	17.7519
18.1885	18.6186	16.4454	16.5199	16.6645	16.8891
17.2652	17.7711	18.3053	18.8244	16.4158	16.4793
16.6175	16.8507	17.2372	17.7824	18.3941	18.9838
16.3937	16.4472	16.5756	16.8338	17.2754	17.8348
18.4567	19.0970	16.3705	16.4170	16.5361	16.8240
17.3168	17.8853	18.5194	19.1984	16.3500	16.3897
16.5040	16.8116	17.3551	17.9640	18.6206	19.3168
16.3496	16.3834	16.5100	16.8852	17.4977	18.1454
18.8144	19.4784	16.4049	16.4449	16.6561	17.1372
17.7544	18.3965	19.0810	19.7286	18.9152	19.0219
19.2233	19.5086	19.8701	20.2274	20.5370	20.8002
18.9067	19.0130	19.2263	19.5112	19.8835	20.3007
20.6790	20.9995	18.8992	18.9950	19.2036	19.4966
19.8795	20.3313	20.7716	21.1459	18.8957	18.9773
19.1692	19.4704	19.8910	20.3564	20.8081	21.2252
18.8959	18.9627	19.1322	19.4377	19.8846	20.3483
20.8069	21.2597	18.9018	18.9523	19.0977	19.3920
19.8574	20.3393	20.8132	21.2875	18.9194	18.9486
19.0738	19.3956	19.9013	20.4042	20.8882	21.3450
18.9643	18.9724	19.1393	19.5368	20.0406	20.5343
21.0327	21.4763	19.6663	19.8000	19.9946	20.2342
20.4911	20.7006	20.8335	20.9040	19.7425	19.8905
20.1086	20.3667	20.6423	20.8866	21.0520	21.1471
19.8072	19.9583	20.1856	20.4590	20.7504	21.0226
21.2290	21.3638	19.8743	20.0192	20.2410	20.5175
20.8297	21.1261	21.3623	21.5430	19.9543	20.0864
20.2918	20.5669	20.8973	21.2068	21.4660	21.6921

20.0515	20.1687	20.3575	20.6248	20.9682	21.2942
21.5760	21.8394	20.1694	20.2747	20.4479	20.7251
21.0975	21.4426	21.7447	22.0221	20.3201	20.4165
20.6074	20.9322	21.3178	21.6668	21.9876	22.2595
19.7065	19.7610	19.8478	19.9676	20.1049	20.2246
20.3073	20.3566	19.8070	19.8862	19.9992	20.1402
20.2912	20.4243	20.5184	20.5755	19.9093	20.0036
20.1381	20.2971	20.4608	20.6113	20.7270	20.8080
20.0254	20.1229	20.2683	20.4370	20.6114	20.7867
20.9294	21.0422	20.1649	20.2563	20.4009	20.5775
20.7723	20.9674	21.1269	21.2747	20.3294	20.4144
20.5599	20.7445	20.9558	21.1630	21.3363	21.5197
20.5196	20.6122	20.7614	20.9510	21.1858	21.4072
21.5961	21.8035	20.7498	20.8610	21.0220	21.2400
21.4983	21.7273	21.9379	22.1492	21.0621	20.9936
20.9327	20.9298	21.0185	21.1860	21.4049	21.6456
21.1009	21.0578	21.0138	21.0114	21.0998	21.2851
21.5294	21.7894	21.1561	21.1287	21.1078	21.1179
21.2118	21.4176	21.6892	21.9727	21.2480	21.2207
21.2161	21.2521	21.3646	21.5869	21.8704	22.1768
21.3829	21.3447	21.3427	21.4012	21.5442	21.7814
22.0675	22.4030	21.5513	21.5009	21.4971	21.5726
21.7496	22.0074	22.3026	22.6712	21.7336	21.6870
21.6992	21.8045	22.0290	22.3052	22.5977	22.9693
21.9309	21.9168	21.9760	22.1380	22.3909	22.6602
22.9607	23.3215				
-1.9067	-1.5434	-1.3544	-1.2630	-0.9991	-0.7143
-0.6575	-0.8992	-1.7737	-1.3942	-1.1592	-0.9488
-0.5216	-0.2785	-0.4085	-0.8113	-1.6596	-1.2804
-1.0197	-0.7518	-0.4136	-0.3119	-0.4367	-0.8925

-1.5870	-1.2209	-0.9499	-0.6513	-0.4376	-0.4314
-0.5702	-1.0537	-1.5432	-1.2026	-0.9329	-0.6271
-0.4441	-0.4980	-0.7349	-1.2284	-1.4758	-1.1729
-0.9309	-0.7053	-0.6144	-0.7720	-1.1121	-1.5608
-1.3262	-1.0711	-0.9340	-0.9290	-0.9641	-1.1221
-1.4777	-1.8821	-1.0768	-0.9151	-0.9550	-1.0403
-1.0928	-1.2691	-1.5730	-1.9666	-1.9221	-1.5533
-1.3613	-1.2802	-1.0577	-1.0653	-1.6684	-2.3485
-1.7877	-1.4026	-1.1655	-0.9706	-0.5592	-0.5888
-1.2933	-2.1143	-1.6722	-1.2879	-1.0277	-0.7740
-0.4352	-0.4928	-1.2221	-2.1238	-1.5984	-1.2279
-0.9608	-0.6774	-0.5741	-0.7995	-1.4174	-2.2732
-1.5532	-1.2094	-0.9450	-0.6647	-0.7621	-1.1505
-1.7091	-2.4670	-1.4846	-1.1800	-0.9409	-0.7559
-1.0355	-1.5518	-2.1577	-2.8203	-1.3341	-1.0765
-0.9435	-1.0211	-1.4563	-1.9584	-2.5606	-3.1684
-1.0815	-0.9098	-0.9862	-1.3220	-1.7379	-2.1907
-2.7229	-3.3267	-1.9291	-1.5573	-1.3635	-1.2979
-1.3188	-1.8188	-2.5944	-3.3045	-1.7942	-1.4060
-1.1678	-0.9991	-0.9890	-1.4151	-2.1906	-2.9903
-1.6781	-1.2911	-1.0325	-0.8141	-0.8669	-1.2946
-2.0417	-2.9015	-1.6035	-1.2308	-0.9714	-0.7975
-0.9656	-1.4265	-2.0995	-2.9624	-1.5575	-1.2125
-0.9609	-0.8763	-1.1050	-1.5779	-2.2196	-3.0638
-1.4882	-1.1839	-0.9577	-0.9603	-1.2708	-1.7884
-2.4712	-3.2854	-1.3377	-1.0797	-0.9632	-1.1495
-1.5435	-2.0537	-2.7645	-3.5612	-1.0836	-0.8987
-0.9877	-1.3383	-1.7529	-2.2810	-2.9744	-3.7803
-1.9330	-1.5591	-1.3658	-1.3211	-1.4666	-2.0120
-2.7555	-3.4805	-1.7980	-1.4075	-1.1723	-1.0369

-1.1473	-1.6039	-2.3429	-3.1402	-1.6814	-1.2926
-1.0412	-0.8722	-0.9990	-1.4262	-2.1389	-2.9919
-1.6062	-1.2331	-0.9864	-0.8588	-1.0348	-1.4653
-2.1217	-2.9909	-1.5594	-1.2162	-0.9824	-0.9135
-1.1085	-1.5372	-2.1793	-3.0415	-1.4898	-1.1890
-0.9808	-0.9533	-1.1961	-1.6709	-2.3671	-3.2064
-1.3400	-1.0833	-0.9530	-1.0534	-1.3726	-1.8824
-2.6280	-3.4409	-1.0853	-0.8690	-0.8420	-1.1060
-1.5216	-2.1149	-2.8564	-3.6532	-1.9345	-1.5593
-1.3700	-1.3513	-1.5580	-2.0744	-2.7591	-3.4604
-1.7996	-1.4079	-1.1812	-1.0851	-1.2249	-1.6588
-2.3426	-3.1190	-1.6827	-1.2936	-1.0555	-0.9420
-1.0726	-1.4559	-2.1056	-2.9447	-1.6070	-1.2356
-1.0076	-0.9250	-1.0806	-1.4469	-2.0436	-2.9147
-1.5595	-1.2211	-1.0139	-0.9524	-1.1026	-1.4600
-2.0595	-2.9457	-1.4897	-1.1957	-1.0091	-0.9506
-1.1246	-1.5382	-2.2233	-3.1097	-1.3413	-1.0863
-0.9303	-0.9667	-1.2248	-1.7201	-2.5050	-3.3792
-1.0860	-0.8370	-0.7076	-0.8916	-1.3048	-1.9699
-2.8068	-3.6717	-1.9322	-1.5577	-1.3784	-1.3980
-1.6901	-2.2745	-2.9800	-3.6466	-1.7983	-1.4073
-1.1978	-1.1568	-1.3793	-1.8721	-2.5722	-3.3204
-1.6811	-1.2944	-1.0787	-1.0249	-1.2217	-1.6338
-2.2828	-3.1096	-1.6053	-1.2390	-1.0353	-1.0004
-1.1959	-1.5636	-2.1494	-3.0377	-1.5571	-1.2275
-1.0440	-1.0086	-1.1715	-1.5214	-2.1262	-3.0706
-1.4873	-1.2038	-1.0323	-0.9839	-1.1638	-1.5854
-2.3134	-3.2953	-1.3403	-1.0898	-0.9348	-0.9823
-1.2553	-1.7772	-2.6392	-3.6339	-1.0847	-0.8224
-0.6934	-0.8838	-1.3161	-2.0324	-2.9764	-3.9472

-1.9225	-1.5536	-1.3994	-1.5141	-1.9476	-2.6222
-3.3176	-3.8767	-1.7912	-1.4056	-1.2365	-1.3453
-1.7513	-2.3553	-3.0411	-3.6556	-1.6737	-1.2958
-1.1302	-1.2484	-1.6407	-2.1646	-2.7940	-3.4804
-1.5979	-1.2448	-1.0901	-1.2063	-1.5774	-2.0452
-2.6148	-3.3823	-1.5497	-1.2372	-1.0937	-1.1664
-1.4589	-1.8838	-2.4786	-3.3388	-1.4804	-1.2163
-1.0763	-1.0962	-1.3488	-1.8035	-2.5222	-3.4501
-1.3355	-1.1007	-0.9756	-1.0736	-1.3724	-1.8839
-2.7309	-3.6755	-1.0836	-0.8236	-0.7214	-0.9432
-1.3755	-2.0706	-2.9911	-3.9015	-1.8886	-1.5476
-1.4789	-1.7797	-2.2622	-2.8819	-3.4429	-3.8016
-1.7651	-1.4103	-1.3708	-1.7203	-2.2264	-2.8069
-3.3620	-3.7426	-1.6452	-1.3129	-1.3202	-1.6892
-2.2288	-2.7775	-3.3009	-3.7275	-1.5662	-1.2752
-1.3342	-1.7066	-2.2792	-2.8371	-3.3382	-3.8206
-1.5181	-1.2757	-1.3759	-1.7472	-2.3232	-2.9119
-3.4563	-3.9884	-1.4537	-1.2649	-1.4040	-1.8046
-2.4378	-3.0993	-3.7263	-4.2526	-1.3209	-1.1930
-1.4076	-1.9714	-2.6988	-3.3918	-4.0680	-4.5418
-1.0995	-1.0399	-1.3387	-2.0486	-2.8655	-3.6526
-4.3265	-4.7351	-1.6812	-1.7247	-1.9501	-2.2947
-2.6610	-3.0781	-3.3991	-3.5280	-1.6678	-1.8040
-2.0862	-2.4283	-2.7555	-3.1156	-3.4598	-3.6640
-1.6633	-1.8626	-2.1667	-2.4930	-2.8292	-3.1656
-3.5237	-3.8245	-1.6837	-1.9342	-2.2529	-2.5764
-2.9584	-3.3237	-3.6895	-4.0631	-1.7527	-2.0432
-2.3758	-2.7102	-3.1325	-3.5525	-3.9565	-4.3501
-1.8862	-2.2068	-2.5525	-2.9221	-3.4229	-3.9114
-4.3437	-4.6684	-2.0913	-2.4303	-2.8104	-3.3203

-3.8915	-4.3695	-4.7636	-4.9613	-2.3456	-2.6830
-3.0998	-3.7222	-4.3207	-4.7892	-5.0746	-5.1372
-2.4518	-2.7785	-3.1725	-3.5424	-3.8092	-3.9889
-4.0192	-3.9159	-3.0905	-3.4115	-3.7464	-4.0165
-4.1789	-4.2820	-4.3260	-4.2986	-3.6725	-3.9453
-4.1844	-4.3402	-4.4248	-4.4564	-4.4887	-4.5189
-4.1570	-4.3527	-4.4875	-4.5463	-4.5844	-4.5760
-4.5746	-4.6131	-4.4895	-4.6040	-4.6568	-4.6557
-4.6657	-4.6436	-4.6141	-4.6044	-4.6407	-4.6977
-4.7066	-4.6878	-4.7042	-4.6800	-4.6122	-4.5069
-4.6174	-4.6526	-4.6701	-4.7174	-4.7387	-4.6811
-4.5614	-4.3606	-4.4443	-4.4771	-4.5332	-4.6659
-4.7121	-4.6467	-4.4570	-4.1887	-3.9116	-3.9269
-3.9276	-3.8854	-3.7505	-3.5418	-3.2980	-3.1092
-3.8054	-3.8336	-3.8786	-3.9148	-3.8737	-3.7270
-3.5130	-3.3183	-3.7419	-3.7926	-3.8774	-3.9649
-3.9693	-3.8398	-3.6309	-3.4100	-3.7335	-3.8203
-3.9448	-4.0585	-4.0596	-3.9166	-3.6967	-3.4336
-3.7920	-3.9196	-4.0746	-4.1892	-4.1580	-3.9898
-3.7415	-3.4223	-3.9137	-4.0712	-4.2299	-4.3102
-4.2221	-4.0096	-3.7135	-3.3489	-4.0727	-4.2373
-4.3675	-4.3761	-4.1993	-3.9416	-3.6226	-3.2580
-4.2167	-4.3504	-4.4180	-4.3585	-4.1428	-3.8662
-3.5443	-3.2204	-1.8149	-1.2004	-0.6436	-0.2573
-0.1302	-0.2192	-0.4535	-0.7922	-1.8968	-1.2965
-0.7505	-0.3686	-0.2166	-0.2615	-0.4335	-0.7111
-2.1081	-1.5355	-1.0228	-0.6700	-0.4925	-0.4769
-0.5979	-0.8231	-2.4181	-1.8903	-1.4265	-1.1103
-0.9153	-0.8437	-0.9286	-1.1196	-2.7703	-2.3004
-1.8947	-1.6164	-1.4265	-1.3346	-1.3836	-1.5440

-3.1142	-2.7097	-2.3705	-2.1323	-1.9494	-1.8472
-1.8529	-1.9825	-3.4326	-3.1010	-2.8325	-2.6006
-2.4015	-2.3012	-2.2916	-2.4022	-3.7426	-3.4818
-3.2555	-3.0294	-2.8454	-2.7351	-2.7160	-2.8131
-3.0433	-2.9290	-2.8171	-2.7332	-2.7867	-2.9345
-3.1430	-3.4241	-3.0355	-2.9272	-2.8199	-2.7377
-2.7571	-2.9013	-3.1207	-3.4080	-3.1280	-3.0321
-2.9501	-2.9166	-2.9487	-3.0859	-3.3174	-3.5991
-3.2933	-3.2141	-3.1639	-3.1890	-3.2682	-3.4081
-3.6414	-3.9101	-3.5014	-3.4418	-3.4234	-3.4914
-3.6233	-3.7915	-4.0120	-4.2557	-3.7195	-3.6820
-3.7001	-3.8015	-3.9574	-4.1421	-4.3354	-4.5445
-3.9271	-3.9184	-3.9815	-4.0771	-4.2164	-4.4050
-4.5830	-4.7589	-4.1306	-4.1559	-4.2306	-4.3087
-4.4383	-4.5858	-4.7356	-4.8805	-3.7715	-3.7321
-3.6898	-3.6579	-3.7200	-3.8318	-3.9681	-4.1321
-3.5935	-3.5354	-3.4805	-3.4415	-3.4735	-3.5861
-3.7358	-3.9117	-3.5550	-3.4929	-3.4422	-3.4276
-3.4475	-3.5291	-3.6707	-3.8334	-3.6076	-3.5514
-3.5135	-3.5301	-3.5598	-3.6085	-3.7277	-3.8668
-3.7125	-3.6642	-3.6397	-3.6759	-3.7277	-3.7777
-3.8690	-3.9796	-3.8526	-3.8094	-3.8034	-3.8594
-3.9209	-3.9781	-4.0380	-4.1205	-4.0320	-3.9985
-4.0274	-4.0727	-4.1191	-4.1912	-4.2455	-4.3137
-4.2786	-4.2699	-4.3133	-4.3435	-4.3960	-4.4551
-4.5123	-4.5825	-5.4712	-5.4341	-5.3948	-5.3796
-5.4673	-5.5918	-5.7156	-5.8381	-5.2108	-5.1581
-5.1109	-5.0930	-5.1685	-5.3283	-5.5047	-5.6749
-5.0971	-5.0343	-4.9792	-4.9725	-5.0326	-5.1777
-5.3818	-5.5887	-5.0763	-5.0113	-4.9531	-4.9648

-5.0270	-5.1388	-5.3437	-5.5769	-5.0897	-5.0260
-4.9699	-4.9956	-5.0764	-5.1846	-5.3759	-5.6207
-5.1062	-5.0410	-4.9968	-5.0457	-5.1440	-5.2637
-5.4348	-5.6733	-5.1298	-5.0621	-5.0545	-5.1115
-5.2097	-5.3527	-5.5220	-5.7436	-5.2046	-5.1475
-5.1641	-5.2239	-5.3380	-5.4762	-5.6423	-5.8433
-7.5278	-7.5324	-7.5339	-7.5172	-7.5317	-7.5305
-7.4815	-7.3944	-7.3561	-7.3445	-7.3385	-7.3289
-7.3435	-7.3689	-7.3585	-7.3088	-7.2353	-7.2028
-7.1782	-7.1736	-7.1802	-7.2016	-7.2238	-7.2160
-7.1515	-7.1002	-7.0567	-7.0521	-7.0557	-7.0627
-7.1052	-7.1335	-7.0791	-7.0150	-6.9618	-6.9542
-6.9656	-6.9828	-7.0329	-7.0794	-7.0071	-6.9357
-6.8899	-6.8977	-6.9182	-6.9486	-6.9879	-7.0314
-6.9461	-6.8746	-6.8643	-6.8787	-6.8948	-6.9412
-6.9754	-7.0077	-6.9306	-6.8749	-6.8889	-6.9027
-6.9357	-6.9777	-7.0063	-7.0263	-7.0070	-6.9862
-6.9849	-6.9557	-6.9220	-6.8611	-6.7527	-6.6102
-6.9359	-6.9059	-6.9058	-6.9003	-6.8846	-6.8464
-6.7628	-6.6398	-6.8219	-6.7739	-6.7635	-6.7742
-6.7681	-6.7391	-6.6876	-6.5971	-6.6949	-6.6248
-6.5981	-6.6080	-6.6041	-6.5805	-6.5607	-6.5028
-6.5721	-6.4817	-6.4424	-6.4414	-6.4395	-6.4370
-6.4366	-6.3952	-6.4651	-6.3606	-6.3227	-6.3254
-6.3206	-6.3270	-6.3193	-6.2773	-6.3868	-6.2809
-6.2683	-6.2615	-6.2371	-6.2463	-6.2297	-6.1849
-6.3586	-6.2705	-6.2705	-6.2437	-6.2247	-6.2260
-6.2030	-6.1560	-6.8704	-6.7971	-6.7422	-6.6681
-6.5738	-6.4487	-6.2766	-6.0578	-6.8690	-6.7956
-6.7482	-6.6980	-6.6314	-6.5315	-6.3812	-6.1710

-6.7520	-6.6704	-6.6246	-6.5949	-6.5516	-6.4781
-6.3606	-6.1724	-6.5743	-6.4757	-6.4243	-6.4030
-6.3728	-6.3216	-6.2386	-6.0732	-6.3888	-6.2701
-6.2103	-6.1858	-6.1607	-6.1309	-6.0716	-5.9187
-6.2313	-6.0954	-6.0302	-6.0059	-5.9794	-5.9566
-5.8982	-5.7462	-6.1176	-5.9714	-5.9133	-5.8796
-5.8368	-5.8096	-5.7373	-5.5788	-6.0510	-5.9075
-5.8531	-5.7996	-5.7506	-5.7132	-5.6244	-5.4595
-6.3616	-6.2193	-6.1093	-5.9660	-5.7415	-5.4569
-5.0984	-4.6665	-6.4799	-6.3443	-6.2400	-6.1246
-5.9369	-5.6572	-5.2903	-4.8326	-6.4155	-6.2857
-6.1918	-6.0944	-5.9400	-5.6908	-5.3328	-4.8596
-6.2353	-6.1031	-6.0190	-5.9251	-5.7812	-5.5681
-5.2338	-4.7520	-6.0218	-5.8814	-5.8026	-5.7013
-5.5473	-5.3576	-5.0507	-4.5663	-5.8374	-5.6884
-5.6042	-5.4911	-5.3256	-5.1408	-4.8470	-4.3629
-5.7074	-5.5497	-5.4493	-5.3167	-5.1345	-4.9335
-4.6227	-4.1380	-5.6218	-5.4549	-5.3334	-5.1664
-4.9629	-4.7407	-4.4012	-3.9172	-4.4215	-4.2195
-4.0915	-3.9051	-3.5708	-3.1526	-2.6554	-2.1130
-4.7017	-4.5083	-4.3784	-4.2261	-3.9210	-3.4610
-2.9052	-2.2975	-4.7482	-4.5709	-4.4539	-4.3157
-4.0417	-3.5893	-2.9986	-2.3326	-4.6245	-4.4591
-4.3640	-4.2148	-3.9394	-3.5250	-2.9375	-2.2308
-4.4371	-4.2758	-4.2006	-4.0281	-3.7218	-3.3409
-2.7848	-2.0617	-4.2745	-4.1140	-4.0398	-3.8365
-3.5014	-3.1317	-2.6032	-1.8815	-4.1789	-4.0173
-3.9081	-3.6597	-3.2989	-2.9092	-2.3770	-1.6728
-4.1368	-3.9664	-3.7964	-3.4787	-3.0889	-2.6766
-2.1273	-1.4522				

0.0000	0.0000	0.0000	-0.0003	-0.0051	-0.0219
-0.0405	-0.0496	0.0000	0.0000	0.0000	-0.0005
-0.0105	-0.0302	-0.0463	-0.0531	0.0000	0.0000
0.0000	-0.0009	-0.0111	-0.0346	-0.0519	-0.0549
0.0000	0.0000	0.0000	-0.0027	-0.0155	-0.0319
-0.0471	-0.0562	0.0000	0.0000	0.0000	-0.0063
-0.0200	-0.0311	-0.0465	-0.0577	0.0000	0.0000
0.0000	-0.0083	-0.0269	-0.0372	-0.0553	-0.0680
0.0000	0.0000	0.0000	-0.0189	-0.0402	-0.0472
-0.0635	-0.0701	0.0000	0.0000	-0.0046	-0.0284
-0.0401	-0.0463	-0.0620	-0.0661	0.0009	0.0010
0.0008	0.0011	-0.0043	-0.0226	-0.0442	-0.0556
0.0008	0.0009	0.0010	0.0012	-0.0091	-0.0306
-0.0499	-0.0582	0.0007	0.0009	0.0013	0.0010
-0.0097	-0.0343	-0.0551	-0.0594	0.0006	0.0009
0.0015	-0.0015	-0.0156	-0.0357	-0.0524	-0.0610
0.0004	0.0008	0.0016	-0.0049	-0.0212	-0.0354
-0.0519	-0.0624	-0.0001	0.0004	0.0016	-0.0068
-0.0275	-0.0408	-0.0599	-0.0721	-0.0008	-0.0002
0.0016	-0.0173	-0.0418	-0.0512	-0.0687	-0.0747
-0.0013	0.0001	-0.0032	-0.0286	-0.0439	-0.0510
-0.0677	-0.0713	0.0017	0.0018	0.0016	0.0023
-0.0016	-0.0199	-0.0442	-0.0577	0.0014	0.0017
0.0020	0.0028	-0.0054	-0.0275	-0.0491	-0.0581
0.0013	0.0017	0.0024	0.0027	-0.0060	-0.0302
-0.0527	-0.0576	0.0012	0.0018	0.0029	0.0014
-0.0135	-0.0364	-0.0525	-0.0584	0.0008	0.0015
0.0031	-0.0011	-0.0192	-0.0361	-0.0511	-0.0587
-0.0001	0.0007	0.0031	-0.0023	-0.0238	-0.0393
-0.0568	-0.0661	-0.0015	-0.0004	0.0030	-0.0120

-0.0378	-0.0485	-0.0655	-0.0695	-0.0025	0.0001
0.0006	-0.0234	-0.0414	-0.0490	-0.0649	-0.0678
0.0023	0.0025	0.0022	0.0032	0.0038	-0.0093
-0.0291	-0.0407	0.0020	0.0024	0.0027	0.0040
0.0011	-0.0146	-0.0317	-0.0387	0.0018	0.0024
0.0034	0.0044	0.0001	-0.0166	-0.0329	-0.0361
0.0017	0.0024	0.0040	0.0059	-0.0053	-0.0231
-0.0324	-0.0344	0.0012	0.0021	0.0043	0.0048
-0.0082	-0.0214	-0.0291	-0.0313	-0.0002	0.0009
0.0044	0.0042	-0.0098	-0.0218	-0.0322	-0.0347
-0.0021	-0.0008	0.0053	-0.0026	-0.0189	-0.0275
-0.0395	-0.0392	-0.0036	-0.0002	0.0056	-0.0080
-0.0216	-0.0285	-0.0388	-0.0392	0.0032	0.0035
0.0030	0.0044	0.0101	0.0056	-0.0045	-0.0115
0.0027	0.0033	0.0036	0.0055	0.0083	0.0040
-0.0039	-0.0079	0.0025	0.0033	0.0045	0.0075
0.0075	0.0033	-0.0018	-0.0042	0.0024	0.0033
0.0053	0.0105	0.0072	0.0005	0.0005	-0.0004
0.0016	0.0028	0.0059	0.0109	0.0085	0.0033
0.0053	0.0060	-0.0002	0.0011	0.0062	0.0111
0.0107	0.0054	0.0043	0.0064	-0.0029	-0.0014
0.0069	0.0089	0.0090	0.0043	-0.0017	0.0011
-0.0050	-0.0014	0.0091	0.0118	0.0064	0.0023
-0.0011	0.0009	0.0045	0.0048	0.0040	0.0056
0.0130	0.0145	0.0120	0.0079	0.0038	0.0046
0.0049	0.0070	0.0123	0.0160	0.0151	0.0127
0.0035	0.0046	0.0059	0.0100	0.0129	0.0186
0.0207	0.0178	0.0034	0.0045	0.0068	0.0130
0.0161	0.0184	0.0249	0.0230	0.0023	0.0036
0.0071	0.0143	0.0201	0.0215	0.0311	0.0310

-0.0003	0.0012	0.0063	0.0150	0.0256	0.0262
0.0329	0.0344	-0.0040	-0.0027	0.0050	0.0163
0.0290	0.0291	0.0277	0.0279	-0.0071	-0.0039
0.0081	0.0227	0.0245	0.0259	0.0268	0.0265
0.0064	0.0068	0.0054	0.0065	0.0120	0.0163
0.0188	0.0169	0.0054	0.0065	0.0065	0.0080
0.0130	0.0194	0.0223	0.0215	0.0051	0.0064
0.0075	0.0105	0.0146	0.0257	0.0303	0.0278
0.0049	0.0062	0.0081	0.0132	0.0185	0.0248
0.0357	0.0336	0.0033	0.0047	0.0074	0.0144
0.0223	0.0279	0.0437	0.0423	-0.0004	0.0008
0.0040	0.0147	0.0299	0.0347	0.0486	0.0474
-0.0058	-0.0053	-0.0000	0.0177	0.0351	0.0393
0.0414	0.0382	-0.0105	-0.0084	0.0027	0.0225
0.0283	0.0359	0.0388	0.0350	0.0091	0.0095
0.0069	0.0058	0.0082	0.0139	0.0208	0.0223
0.0077	0.0089	0.0081	0.0071	0.0120	0.0176
0.0224	0.0242	0.0073	0.0087	0.0089	0.0092
0.0133	0.0258	0.0292	0.0287	0.0071	0.0083
0.0088	0.0118	0.0152	0.0200	0.0331	0.0319
0.0046	0.0058	0.0062	0.0123	0.0149	0.0204
0.0407	0.0385	-0.0008	-0.0003	-0.0006	0.0108
0.0219	0.0273	0.0474	0.0437	-0.0085	-0.0102
-0.0079	0.0137	0.0243	0.0313	0.0357	0.0313
-0.0158	-0.0181	-0.0067	0.0102	0.0139	0.0294
0.0327	0.0282	0.0137	0.0134	0.0061	0.0032
0.0045	0.0101	0.0196	0.0234	0.0113	0.0120
0.0071	0.0038	0.0125	0.0145	0.0189	0.0224
0.0103	0.0112	0.0082	0.0074	0.0140	0.0259
0.0241	0.0251	0.0097	0.0102	0.0083	0.0130

0.0143	0.0137	0.0262	0.0247	0.0059	0.0063
0.0050	0.0145	0.0084	0.0100	0.0320	0.0277
-0.0021	-0.0027	-0.0035	0.0124	0.0136	0.0142
0.0378	0.0311	-0.0138	-0.0168	-0.0119	0.0144
0.0072	0.0132	0.0177	0.0148	-0.0251	-0.0278
-0.0110	-0.0049	-0.0115	0.0105	0.0128	0.0116
0.0117	0.0132	0.0089	0.0149	0.0162	0.0153
0.0217	0.0239	0.0082	0.0116	0.0092	0.0115
0.0260	0.0179	0.0181	0.0219	0.0070	0.0112
0.0112	0.0162	0.0264	0.0345	0.0238	0.0255
0.0075	0.0113	0.0132	0.0263	0.0257	0.0180
0.0280	0.0246	0.0049	0.0086	0.0119	0.0313
0.0157	0.0121	0.0342	0.0256	-0.0022	0.0002
0.0047	0.0310	0.0217	0.0148	0.0402	0.0286
-0.0141	-0.0141	-0.0018	0.0341	0.0071	0.0093
0.0119	0.0096	-0.0268	-0.0248	0.0017	-0.0035
-0.0231	0.0039	0.0040	0.0050	0.0210	0.0312
0.0360	0.0510	0.0476	0.0382	0.0410	0.0408
0.0193	0.0295	0.0325	0.0388	0.0538	0.0335
0.0308	0.0347	0.0195	0.0284	0.0314	0.0386
0.0478	0.0509	0.0325	0.0347	0.0196	0.0261
0.0301	0.0476	0.0425	0.0288	0.0365	0.0299
0.0145	0.0196	0.0256	0.0519	0.0269	0.0207
0.0414	0.0263	0.0036	0.0078	0.0154	0.0508
0.0338	0.0221	0.0478	0.0286	-0.0121	-0.0099
0.0080	0.0557	0.0157	0.0157	0.0164	0.0096
-0.0291	-0.0238	0.0126	0.0037	-0.0223	0.0106
0.0076	0.0047	0.0359	0.0480	0.0567	0.0761
0.0696	0.0627	0.0669	0.0620	0.0313	0.0440
0.0503	0.0604	0.0748	0.0498	0.0490	0.0495

0.0303	0.0426	0.0492	0.0586	0.0669	0.0654
0.0425	0.0422	0.0302	0.0409	0.0487	0.0681
0.0599	0.0412	0.0422	0.0306	0.0248	0.0342
0.0438	0.0714	0.0393	0.0287	0.0412	0.0195
0.0128	0.0213	0.0306	0.0659	0.0418	0.0244
0.0452	0.0191	-0.0052	0.0001	0.0180	0.0697
0.0209	0.0165	0.0146	0.0024	-0.0265	-0.0208
0.0164	0.0062	-0.0221	0.0126	0.0067	-0.0005
0.0444	0.0608	0.0723	0.0891	0.0747	0.0632
0.0595	0.0448	0.0430	0.0615	0.0726	0.0806
0.0844	0.0528	0.0471	0.0390	0.0469	0.0668
0.0790	0.0854	0.0838	0.0716	0.0448	0.0382
0.0510	0.0705	0.0832	0.0978	0.0833	0.0566
0.0477	0.0322	0.0472	0.0655	0.0779	0.0999
0.0643	0.0458	0.0466	0.0223	0.0341	0.0503
0.0600	0.0873	0.0608	0.0377	0.0486	0.0201
0.0136	0.0245	0.0387	0.0856	0.0378	0.0277
0.0213	0.0048	-0.0112	-0.0045	0.0279	0.0210
-0.0048	0.0236	0.0144	0.0027	0.0393	0.0640
0.0785	0.0886	0.0676	0.0453	0.0297	0.0094
0.0471	0.0727	0.0877	0.0910	0.0856	0.0514
0.0373	0.0230	0.0587	0.0846	0.1002	0.1033
0.0945	0.0774	0.0503	0.0381	0.0668	0.0917
0.1065	0.1167	0.1015	0.0740	0.0602	0.0429
0.0625	0.0856	0.0991	0.1168	0.0877	0.0667
0.0601	0.0365	0.0450	0.0660	0.0771	0.0989
0.0786	0.0552	0.0561	0.0292	0.0195	0.0358
0.0493	0.0896	0.0538	0.0404	0.0286	0.0099
-0.0080	0.0025	0.0324	0.0336	0.0144	0.0302
0.0164	0.0006	0.0123	0.0405	0.0565	0.0619

0.0417	0.0148	-0.0066	-0.0232	0.0297	0.0580
0.0759	0.0792	0.0720	0.0418	0.0225	0.0083
0.0478	0.0762	0.0955	0.1013	0.0933	0.0762
0.0506	0.0364	0.0593	0.0871	0.1060	0.1172
0.1069	0.0835	0.0661	0.0488	0.0562	0.0825
0.1001	0.1166	0.0982	0.0788	0.0651	0.0441
0.0384	0.0631	0.0790	0.0972	0.0842	0.0634
0.0538	0.0318	0.0130	0.0347	0.0513	0.0815
0.0586	0.0438	0.0274	0.0111	-0.0119	0.0047
0.0324	0.0382	0.0262	0.0277	0.0105	-0.0044
-0.0348	-0.0071	0.0089	0.0088	-0.0077	-0.0322
-0.0522	-0.0590	-0.0018	0.0266	0.0454	0.0471
0.0347	0.0110	-0.0089	-0.0180	0.0284	0.0584
0.0797	0.0852	0.0728	0.0517	0.0304	0.0187
0.0460	0.0767	0.0987	0.1062	0.0939	0.0717
0.0507	0.0370	0.0450	0.0747	0.0956	0.1036
0.0908	0.0714	0.0488	0.0348	0.0279	0.0556
0.0748	0.0820	0.0708	0.0532	0.0308	0.0184
0.0047	0.0298	0.0479	0.0563	0.0441	0.0296
0.0095	0.0007	-0.0138	0.0074	0.0271	0.0293
0.0251	0.0111	-0.0073	-0.0159	-0.0768	-0.0546
-0.0413	-0.0484	-0.0593	-0.0764	-0.0899	-0.0862
-0.0298	-0.0073	0.0074	0.0038	-0.0151	-0.0284
-0.0430	-0.0443	0.0130	0.0381	0.0548	0.0538
0.0340	0.0113	0.0002	-0.0055	0.0370	0.0641
0.0823	0.0788	0.0608	0.0420	0.0220	0.0159
0.0372	0.0640	0.0817	0.0743	0.0645	0.0468
0.0186	0.0152	0.0192	0.0436	0.0604	0.0509
0.0395	0.0267	-0.0062	-0.0052	-0.0033	0.0187
0.0331	0.0138	0.0121	0.0002	-0.0213	-0.0189

-0.0161	0.0031	0.0085	0.0026	0.0073	-0.0207
-0.0373	-0.0359	-0.1018	-0.0910	-0.0823	-0.0961
-0.1022	-0.1099	-0.1152	-0.1026	-0.0503	-0.0407
-0.0337	-0.0419	-0.0662	-0.0673	-0.0728	-0.0658
-0.0006	0.0113	0.0184	0.0100	-0.0147	-0.0358
-0.0338	-0.0312	0.0282	0.0427	0.0518	0.0353
0.0130	0.0021	-0.0133	-0.0105	0.0301	0.0452
0.0556	0.0308	0.0241	0.0125	-0.0182	-0.0115
0.0126	0.0260	0.0381	0.0108	-0.0014	-0.0065
-0.0473	-0.0345	-0.0079	0.0051	0.0145	-0.0325
-0.0249	-0.0323	-0.0535	-0.0399	-0.0146	-0.0019
-0.0140	-0.0295	-0.0145	-0.0521	-0.0659	-0.0528
-0.1201	-0.1213	-0.1170	-0.1365	-0.1387	-0.1355
-0.1309	-0.1104	-0.0743	-0.0782	-0.0787	-0.0888
-0.1161	-0.1046	-0.0982	-0.0825	-0.0246	-0.0274
-0.0299	-0.0429	-0.0688	-0.0858	-0.0700	-0.0580
0.0069	0.0062	0.0061	-0.0202	-0.0453	-0.0468
-0.0554	-0.0447	0.0120	0.0124	0.0154	-0.0248
-0.0298	-0.0324	-0.0637	-0.0503	-0.0025	-0.0028
0.0042	-0.0386	-0.0534	-0.0492	-0.0962	-0.0763
-0.0192	-0.0177	-0.0120	-0.0842	-0.0721	-0.0731
-0.0950	-0.0731	-0.0201	-0.0147	-0.0431	-0.0704
-0.0459	-0.0878	-0.1006	-0.0756	-0.1274	-0.1348
-0.1332	-0.1561	-0.1559	-0.1450	-0.1318	-0.1051
-0.0939	-0.1046	-0.1091	-0.1198	-0.1471	-0.1265
-0.1095	-0.0866	-0.0505	-0.0614	-0.0693	-0.0840
-0.1086	-0.1199	-0.0932	-0.0736	-0.0198	-0.0295
-0.0355	-0.0658	-0.0919	-0.0862	-0.0876	-0.0710
-0.0121	-0.0210	-0.0235	-0.0716	-0.0767	-0.0723
-0.1009	-0.0832	-0.0226	-0.0323	-0.0308	-0.0817

-0.0984	-0.0869	-0.1349	-0.1117	-0.0359	-0.0436
-0.0415	-0.1272	-0.1139	-0.1085	-0.1314	-0.1051
-0.0344	-0.0354	-0.0726	-0.1078	-0.0779	-0.1192
-0.1319	-0.0977				
287.2728	287.2589	287.2138	287.0438	286.0132	283.5964
281.3989	279.9792	287.2470	287.2227	287.1655	286.9795
286.0800	283.5970	281.3848	280.0706	287.2233	287.1880
287.1051	286.8608	285.9863	284.2845	281.6049	280.1737
287.2043	287.1713	287.0498	286.4640	284.5992	282.6804
281.2366	280.2232	287.1854	287.1581	286.9984	286.1567
283.7022	281.8720	281.0241	280.2501	287.1639	287.1405
286.9547	286.0580	283.5481	281.7505	281.0675	280.2942
287.1499	287.1145	286.8392	285.8498	283.1684	281.5661
280.7975	280.0440	287.1438	287.0605	286.4337	284.2901
282.1889	281.2556	280.5356	279.7443	287.0520	287.0391
286.9918	286.8164	285.7902	284.1635	282.7889	281.7920
287.0262	287.0031	286.9437	286.7542	285.8471	284.1174
282.7283	281.8136	287.0024	286.9684	286.8848	286.6431
285.7130	284.1610	282.7536	281.8808	286.9834	286.9500
286.8279	286.2534	285.0213	283.6841	282.6950	281.9023
286.9651	286.9359	286.7774	285.9722	284.5060	283.3994
282.7259	281.9116	286.9448	286.9186	286.7327	285.8705
284.4377	283.4143	282.9122	282.0360	286.9310	286.8929
286.6174	285.7173	284.2110	283.3161	282.6545	281.8289
286.9231	286.8377	286.2259	284.9734	283.7170	283.1469
282.4055	281.5393	286.7951	286.7821	286.7317	286.5571
285.7495	284.7042	283.7663	282.8886	286.7691	286.7460
286.6833	286.4966	285.8549	284.7406	283.7284	282.8198
286.7448	286.7110	286.6255	286.3953	285.7830	284.8727
283.7462	282.8058	286.7255	286.6903	286.5725	286.2216

285.4949	284.5750	283.6950	282.7597	286.7074	286.6747
286.5277	286.1271	285.1881	284.3464	283.6490	282.7340
286.6876	286.6576	286.4840	286.0880	285.1425	284.2675
283.6816	282.7688	286.6735	286.6325	286.3840	286.0739
284.9499	284.0836	283.3869	282.5655	286.6627	286.5836
286.3165	285.5753	284.5255	283.8875	283.1549	282.3693
286.4451	286.4316	286.3782	286.2070	285.5201	284.6220
283.7441	282.8555	286.4189	286.3954	286.3297	286.1492
285.6627	284.6825	283.7036	282.7545	286.3940	286.3600
286.2735	286.0688	285.6254	284.8019	283.6974	282.6967
286.3742	286.3372	286.2262	286.0127	285.4340	284.5589
283.6255	282.5966	286.3559	286.3207	286.1881	285.9660
285.1773	284.3420	283.5638	282.5378	286.3366	286.3043
286.1512	285.9377	285.1263	284.2454	283.5736	282.5552
286.3218	286.2815	286.1267	285.9402	284.9003	284.0291
283.2563	282.3476	286.3090	286.2416	286.1154	285.4703
284.4408	283.7976	283.0030	282.1635	285.9513	285.9371
285.8811	285.7140	285.0638	284.1964	283.3042	282.3831
285.9247	285.9005	285.8326	285.6594	285.2153	284.2575
283.2494	282.2581	285.8990	285.8645	285.7789	285.6092
285.2059	284.3914	283.2399	282.1936	285.8784	285.8401
285.7364	285.5768	285.0481	284.1640	283.1694	282.0912
285.8600	285.8232	285.7066	285.5486	284.8118	283.9594
283.1129	282.0308	285.8411	285.8082	285.6917	285.5318
284.7576	283.8521	283.1166	282.0539	285.8260	285.7881
285.6751	285.5244	284.4987	283.5987	282.7848	281.8709
285.8124	285.7558	285.6577	285.0320	283.9924	283.3321
282.5403	281.7494	285.2166	285.2006	285.1430	284.9818
284.3712	283.5779	282.7902	282.0110	285.1894	285.1636
285.0950	284.9287	284.5013	283.5848	282.6495	281.7820

285.1627	285.1273	285.0440	284.8826	284.4760	283.6673
282.5509	281.6078	285.1409	285.1020	285.0054	284.8498
284.3123	283.4124	282.4261	281.4328	285.1225	285.0853
284.9818	284.8286	284.0852	283.2102	282.3555	281.3428
285.1039	285.0718	284.9708	284.8190	284.0416	283.1157
282.3735	281.3730	285.0890	285.0548	284.9551	284.8108
283.7794	282.8630	282.0594	281.2239	285.0756	285.0286
284.9359	284.3112	283.2611	282.5919	281.8340	281.1457
284.0964	284.0774	284.0202	283.8839	283.4276	282.8451
282.2745	281.6974	284.0684	284.0406	283.9742	283.8334
283.5255	282.7996	282.0945	281.4622	284.0391	284.0048
283.9275	283.7914	283.4659	282.8094	281.9192	281.2299
284.0146	283.9776	283.8879	283.7543	283.2787	282.4934
281.6862	280.9391	283.9967	283.9609	283.8676	283.7302
283.0221	282.2002	281.4471	280.6575	283.9792	283.9495
283.8611	283.7156	282.9356	281.9933	281.2710	280.4736
283.9653	283.9380	283.8516	283.7031	282.6483	281.6886
280.8833	280.2398	283.9535	283.9157	283.8339	283.2034
282.1230	281.4005	280.6618	280.1874	282.4554	282.4230
282.3967	282.4886	282.3475	282.0933	281.8322	281.5298
282.4330	282.3874	282.3547	282.4196	282.4003	282.0215
281.6881	281.4046	282.4214	282.3538	282.3192	282.3679
282.3238	282.0474	281.6166	281.3668	282.4068	282.3245
282.2917	282.3463	282.1899	281.8551	281.5883	281.3592
282.3708	282.3080	282.2946	282.3729	282.0472	281.7479
281.5996	281.3702	282.3218	282.3010	282.3287	282.4432
282.1051	281.7398	281.6467	281.3900	282.3111	282.3125
282.3797	282.5423	281.9767	281.5965	281.3918	281.2002
282.3085	282.3246	282.4125	282.1325	281.5385	281.3378
281.1108	280.9650	280.2753	280.3700	280.6176	280.9932

281.1754	281.2702	281.3133	281.1782	280.3416	280.4589
280.6963	281.0086	281.2474	281.1768	281.1075	280.9437
280.4301	280.5558	280.7714	281.0190	281.1684	281.1290
280.9185	280.7534	280.5236	280.6373	280.8095	281.0140
281.0225	280.8798	280.7709	280.6022	280.6138	280.7099
280.8362	281.0106	280.8425	280.7181	280.7056	280.5391
280.7195	280.7901	280.8694	281.0209	280.8475	280.7021
280.7791	280.5962	280.8310	280.8713	280.9271	281.1319
280.8114	280.7109	280.7026	280.5462	280.9362	280.9537
281.0478	280.9340	280.6507	280.7225	280.6576	280.4824
280.8885	281.0051	281.0232	280.9575	280.6648	280.3865
280.2209	280.0687	281.1284	281.2124	281.1945	281.0811
280.8848	280.5566	280.4077	280.2923	281.2790	281.3219
281.2701	281.1533	280.9827	280.7937	280.5940	280.4791
281.3440	281.3448	281.2665	281.1959	281.0406	280.8576
280.7560	280.5681	281.3416	281.3130	281.2297	281.2251
281.0188	280.9028	280.8523	280.5698	281.2960	281.2598
281.1884	281.2309	281.0722	280.9388	280.9167	280.5257
281.2339	281.2040	281.1649	281.3129	281.0293	280.8996
280.7255	280.2800	281.1688	281.1502	281.2008	281.0999
280.8264	280.7895	280.4860	279.9732	280.4453	280.4643
280.5479	280.7683	280.9071	280.9854	280.9188	280.5799
280.3423	280.3806	280.4957	280.7124	280.9482	280.9432
280.8221	280.4463	280.2140	280.2764	280.4178	280.6514
280.8621	280.9021	280.6454	280.2222	280.0941	280.1779
280.3302	280.5793	280.7093	280.6357	280.4049	279.8922
279.9924	280.0824	280.2226	280.4724	280.4442	280.3345
280.1096	279.5077	279.8981	279.9785	280.0898	280.3057
280.2266	280.0182	279.7884	279.1002	279.7993	279.8541
279.9359	280.1678	279.8719	279.5983	279.1941	278.4962

279.6856	279.6951	279.7914	279.6993	279.3357	279.1174
278.5974	277.8901	279.2324	279.2766	279.2999	279.3021
279.0057	278.4961	277.8524	277.0508	279.2757	279.3148
279.3270	279.3003	279.1172	278.5251	277.8100	276.9618
279.2824	279.3062	279.2968	279.2496	279.0371	278.5375
277.7218	276.8452	279.2483	279.2536	279.2213	279.1661
278.8568	278.2824	277.5774	276.6514	279.1731	279.1599
279.1092	279.0604	278.6042	278.0457	277.4123	276.4308
279.0637	279.0370	278.9751	278.9231	278.4519	277.8322
277.2300	276.1930	278.9420	278.9041	278.8360	278.8114
278.1421	277.4980	276.7519	275.7503	278.8251	278.7682
278.7267	278.3691	277.6749	277.1495	276.3307	275.3533
274.4537	274.4479	274.4474	274.4503	274.1554	273.6899
273.1364	272.4523	274.4191	274.4057	274.4057	274.4139
274.2732	273.7188	273.0680	272.3164	274.3554	274.3360
274.3366	274.3551	274.2218	273.7707	272.9906	272.1775
274.2738	274.2531	274.2558	274.2815	274.0482	273.5230
272.8483	271.9623	274.1766	274.1584	274.1638	274.1964
273.7912	273.2746	272.6750	271.7160	274.0646	274.0503
274.0594	274.0928	273.6540	273.0542	272.4752	271.4371
273.9489	273.9385	273.9476	273.9911	273.3130	272.6556
271.9033	270.8769	273.8434	273.8315	273.8469	273.4773
272.7222	272.1621	271.3084	270.2847	270.0281	270.0565
270.0931	270.1331	269.8662	269.4224	268.8925	268.2185
270.0130	270.0450	270.0894	270.1351	270.0148	269.4615
268.8074	268.0433	269.9843	270.0219	270.0764	270.1336
270.0110	269.5424	268.7336	267.8839	269.9442	269.9856
270.0479	270.1150	269.8822	269.3250	268.6093	267.6677
269.8948	269.9359	270.0005	270.0735	269.6626	269.1087
268.4625	267.4346	269.8384	269.8761	269.9380	270.0076

269.5569	268.9155	268.2853	267.1749	269.7823	269.8163
269.8694	269.9335	269.2302	268.5320	267.7317	266.6463
269.7313	269.7593	269.8065	269.4339	268.6507	268.0647
267.1821	266.1245	264.5211	264.5804	264.6499	264.7172
264.4515	263.9852	263.4094	262.6575	264.4585	264.5159
264.5818	264.6431	264.5201	263.9353	263.2288	262.3899
264.4089	264.4646	264.5286	264.5861	264.4505	263.9449
263.0760	262.1512	264.3557	264.4077	264.4697	264.5241
264.2614	263.6587	262.8828	261.8662	264.2903	264.3343
264.3913	264.4429	263.9871	263.3820	262.6789	261.5756
264.2148	264.2473	264.2959	264.3416	263.8403	263.1419
262.4546	261.2665	264.1395	264.1601	264.1958	264.2306
263.4653	262.7014	261.8358	260.6705	264.0732	264.0836
264.1050	263.6771	262.8172	262.1637	261.2090	260.0663
257.7952	257.8350	257.8810	257.9247	257.6298	257.1291
256.5143	255.7238	257.6640	257.6986	257.7379	257.7763
257.6376	257.0374	256.3115	255.4545	257.5709	257.6006
257.6351	257.6693	257.5257	257.0179	256.1452	255.2180
257.4946	257.5205	257.5535	257.5882	257.3195	256.7186
255.9489	254.9432	257.4181	257.4400	257.4720	257.5099
257.0507	256.4494	255.7616	254.6775	257.3361	257.3520
257.3817	257.4248	256.9299	256.2420	255.5757	254.4105
257.2528	257.2622	257.2916	257.3397	256.5916	255.8442
255.0034	253.8647	257.1755	257.1841	257.2165	256.8111
255.9711	255.3451	254.4265	253.3188	251.2751	251.3017
251.3239	251.3340	250.9987	250.4543	249.7914	248.9521
251.1309	251.1524	251.1705	251.1850	251.0145	250.3753
249.6033	248.6974	251.0259	251.0435	251.0589	251.0722
250.9022	250.3571	249.4395	248.4625	250.9450	250.9611
250.9772	250.9895	250.6911	250.0550	249.2403	248.1801

250.8711	250.8875	250.9057	250.9171	250.4233	249.7841
249.0463	247.8988	250.7964	250.8127	250.8318	250.8454
250.3061	249.5720	248.8463	247.6079	250.7196	250.7345
250.7546	250.7640	249.9633	249.1602	248.2547	247.0358
250.6417	250.6581	250.6735	250.2227	249.3280	248.6415
247.6534	246.4598	243.3839	243.4028	243.4112	243.3958
243.0274	242.4481	241.7503	240.8847	243.2598	243.2756
243.2831	243.2811	243.0772	242.3985	241.5849	240.6470
243.1619	243.1755	243.1821	243.1797	242.9805	242.3904
241.4285	240.4182	243.0844	243.0984	243.1068	243.0956
242.7636	242.0885	241.2258	240.1331	243.0168	243.0335
243.0455	243.0238	242.4903	241.8105	241.0220	239.8436
242.9518	242.9722	242.9873	242.9617	242.3699	241.5889
240.8107	239.5450	242.8861	242.9109	242.9247	242.8808
242.0245	241.1683	240.2166	238.9730	242.8178	242.8477
242.8401	242.3338	241.3862	240.6420	239.6076	238.3877
236.2257	236.2276	236.2162	236.1892	235.8369	235.2958
234.6581	233.8776	236.0837	236.0843	236.0755	236.0595
235.8652	235.2320	234.4870	233.6443	235.9688	235.9677
235.9596	235.9458	235.7554	235.2101	234.3270	233.4222
235.8804	235.8796	235.8730	235.8548	235.5405	234.9087
234.1224	233.1507	235.8106	235.8123	235.8081	235.7825
235.2763	234.6370	233.9260	232.8854	235.7501	235.7559
235.7541	235.7256	235.1673	234.4338	233.7392	232.6232
235.6918	235.7027	235.7010	235.6613	234.8517	234.0532
233.1979	232.1032	235.6301	235.6471	235.6340	235.1546
234.2556	233.5736	232.6499	231.5796	230.5345	230.5278
230.4980	230.4635	230.1431	229.6638	229.1061	228.4175
230.3647	230.3575	230.3315	230.3022	230.1344	229.5749
228.9234	228.1830	230.2175	230.2079	230.1833	230.1585

229.9929	229.5245	228.7499	227.9607	230.1024	230.0902
230.0647	230.0435	229.7668	229.2105	228.5343	227.6952
230.0145	230.0016	229.9752	229.9554	229.5015	228.9360
228.3369	227.4467	229.9435	229.9324	229.9060	229.8896
229.3973	228.7451	228.1669	227.2150	229.8774	229.8692
229.8489	229.8412	229.1133	228.4051	227.6735	226.7421
229.8085	229.8076	229.8005	229.3824	228.5657	227.9761
227.1881	226.2777				
0.0079	0.0078	0.0077	0.0074	0.0073	0.0065
0.0056	0.0050	0.0079	0.0078	0.0076	0.0074
0.0072	0.0064	0.0055	0.0049	0.0079	0.0078
0.0076	0.0073	0.0072	0.0065	0.0055	0.0048
0.0079	0.0077	0.0075	0.0073	0.0067	0.0059
0.0052	0.0047	0.0078	0.0077	0.0074	0.0071
0.0063	0.0055	0.0049	0.0046	0.0078	0.0076
0.0074	0.0070	0.0060	0.0052	0.0047	0.0045
0.0076	0.0074	0.0073	0.0068	0.0058	0.0051
0.0046	0.0044	0.0075	0.0073	0.0071	0.0063
0.0055	0.0049	0.0046	0.0044	0.0079	0.0078
0.0076	0.0074	0.0071	0.0063	0.0055	0.0050
0.0079	0.0078	0.0076	0.0073	0.0071	0.0063
0.0054	0.0049	0.0079	0.0077	0.0075	0.0073
0.0070	0.0063	0.0054	0.0048	0.0079	0.0077
0.0075	0.0072	0.0065	0.0057	0.0051	0.0047
0.0078	0.0076	0.0074	0.0070	0.0062	0.0053
0.0048	0.0046	0.0077	0.0075	0.0073	0.0069
0.0059	0.0051	0.0047	0.0045	0.0076	0.0074
0.0072	0.0067	0.0057	0.0050	0.0047	0.0044
0.0074	0.0073	0.0070	0.0062	0.0054	0.0049
0.0046	0.0044	0.0079	0.0078	0.0076	0.0074

0.0068	0.0060	0.0054	0.0051	0.0079	0.0077
0.0076	0.0073	0.0067	0.0059	0.0053	0.0050
0.0079	0.0077	0.0075	0.0072	0.0065	0.0058
0.0052	0.0049	0.0078	0.0077	0.0074	0.0069
0.0062	0.0055	0.0051	0.0048	0.0078	0.0076
0.0074	0.0067	0.0060	0.0054	0.0050	0.0047
0.0077	0.0075	0.0073	0.0066	0.0058	0.0052
0.0049	0.0046	0.0076	0.0074	0.0071	0.0064
0.0057	0.0052	0.0048	0.0046	0.0074	0.0072
0.0068	0.0062	0.0056	0.0051	0.0048	0.0045
0.0078	0.0078	0.0076	0.0073	0.0068	0.0061
0.0056	0.0053	0.0078	0.0077	0.0075	0.0073
0.0066	0.0060	0.0055	0.0051	0.0078	0.0077
0.0075	0.0071	0.0065	0.0059	0.0054	0.0050
0.0078	0.0077	0.0074	0.0069	0.0063	0.0057
0.0053	0.0049	0.0078	0.0076	0.0073	0.0068
0.0061	0.0056	0.0052	0.0049	0.0077	0.0075
0.0072	0.0066	0.0060	0.0055	0.0051	0.0048
0.0076	0.0074	0.0070	0.0065	0.0059	0.0054
0.0050	0.0047	0.0074	0.0072	0.0068	0.0062
0.0057	0.0053	0.0049	0.0046	0.0078	0.0077
0.0076	0.0073	0.0069	0.0064	0.0059	0.0056
0.0078	0.0077	0.0075	0.0072	0.0067	0.0062
0.0058	0.0054	0.0078	0.0077	0.0075	0.0071
0.0066	0.0061	0.0056	0.0053	0.0078	0.0076
0.0074	0.0070	0.0064	0.0059	0.0055	0.0052
0.0078	0.0076	0.0073	0.0068	0.0063	0.0059
0.0054	0.0051	0.0077	0.0075	0.0072	0.0067
0.0062	0.0058	0.0053	0.0050	0.0076	0.0073
0.0070	0.0066	0.0062	0.0057	0.0053	0.0049

0.0074	0.0072	0.0068	0.0064	0.0060	0.0056
0.0052	0.0047	0.0078	0.0077	0.0076	0.0073
0.0069	0.0065	0.0061	0.0057	0.0078	0.0077
0.0075	0.0072	0.0068	0.0064	0.0060	0.0056
0.0078	0.0077	0.0075	0.0071	0.0067	0.0063
0.0059	0.0055	0.0078	0.0076	0.0074	0.0070
0.0066	0.0062	0.0058	0.0054	0.0077	0.0076
0.0073	0.0069	0.0065	0.0061	0.0057	0.0053
0.0077	0.0075	0.0071	0.0068	0.0064	0.0060
0.0056	0.0051	0.0075	0.0073	0.0070	0.0066
0.0062	0.0058	0.0054	0.0050	0.0074	0.0071
0.0068	0.0064	0.0061	0.0057	0.0052	0.0047
0.0078	0.0077	0.0075	0.0072	0.0068	0.0063
0.0059	0.0054	0.0078	0.0077	0.0075	0.0072
0.0068	0.0063	0.0059	0.0054	0.0078	0.0077
0.0074	0.0071	0.0067	0.0063	0.0058	0.0054
0.0078	0.0076	0.0074	0.0070	0.0066	0.0062
0.0058	0.0053	0.0077	0.0075	0.0072	0.0069
0.0065	0.0062	0.0058	0.0053	0.0076	0.0074
0.0071	0.0068	0.0064	0.0061	0.0057	0.0052
0.0075	0.0073	0.0070	0.0066	0.0063	0.0059
0.0056	0.0050	0.0073	0.0071	0.0068	0.0064
0.0061	0.0058	0.0054	0.0048	0.0077	0.0077
0.0074	0.0069	0.0062	0.0056	0.0050	0.0045
0.0077	0.0076	0.0074	0.0069	0.0062	0.0056
0.0050	0.0045	0.0077	0.0076	0.0073	0.0068
0.0063	0.0057	0.0051	0.0045	0.0077	0.0076
0.0072	0.0067	0.0062	0.0056	0.0050	0.0044
0.0076	0.0075	0.0071	0.0066	0.0060	0.0055
0.0049	0.0042	0.0076	0.0074	0.0069	0.0064

0.0059	0.0053	0.0047	0.0041	0.0075	0.0072
0.0067	0.0062	0.0057	0.0051	0.0045	0.0039
0.0073	0.0069	0.0065	0.0060	0.0055	0.0050
0.0044	0.0037	0.0066	0.0065	0.0062	0.0056
0.0050	0.0044	0.0039	0.0034	0.0065	0.0064
0.0061	0.0056	0.0051	0.0045	0.0039	0.0035
0.0064	0.0063	0.0060	0.0056	0.0051	0.0046
0.0040	0.0036	0.0063	0.0061	0.0058	0.0055
0.0051	0.0046	0.0041	0.0036	0.0061	0.0060
0.0057	0.0054	0.0051	0.0046	0.0041	0.0036
0.0059	0.0058	0.0056	0.0054	0.0051	0.0046
0.0041	0.0035	0.0057	0.0056	0.0055	0.0053
0.0049	0.0044	0.0039	0.0033	0.0055	0.0055
0.0054	0.0051	0.0047	0.0042	0.0037	0.0031
0.0027	0.0027	0.0026	0.0026	0.0026	0.0025
0.0024	0.0022	0.0025	0.0024	0.0024	0.0025
0.0025	0.0025	0.0024	0.0022	0.0023	0.0023
0.0024	0.0025	0.0026	0.0026	0.0025	0.0023
0.0023	0.0024	0.0025	0.0027	0.0028	0.0028
0.0026	0.0024	0.0025	0.0026	0.0028	0.0030
0.0030	0.0029	0.0027	0.0025	0.0028	0.0029
0.0031	0.0033	0.0032	0.0031	0.0029	0.0026
0.0031	0.0032	0.0034	0.0035	0.0034	0.0031
0.0029	0.0026	0.0034	0.0036	0.0037	0.0036
0.0034	0.0031	0.0028	0.0026	0.0019	0.0020
0.0020	0.0020	0.0020	0.0019	0.0019	0.0019
0.0020	0.0020	0.0021	0.0021	0.0021	0.0021
0.0020	0.0020	0.0021	0.0021	0.0022	0.0022
0.0022	0.0022	0.0021	0.0020	0.0022	0.0022
0.0023	0.0023	0.0023	0.0022	0.0021	0.0020

0.0023	0.0023	0.0023	0.0024	0.0023	0.0022
0.0022	0.0021	0.0024	0.0024	0.0025	0.0025
0.0024	0.0023	0.0022	0.0021	0.0025	0.0025
0.0026	0.0026	0.0025	0.0024	0.0022	0.0021
0.0026	0.0027	0.0027	0.0026	0.0025	0.0024
0.0023	0.0022	0.0016	0.0015	0.0015	0.0015
0.0015	0.0016	0.0016	0.0016	0.0016	0.0016
0.0015	0.0015	0.0015	0.0016	0.0016	0.0017
0.0017	0.0016	0.0016	0.0016	0.0016	0.0016
0.0017	0.0017	0.0017	0.0017	0.0016	0.0016
0.0016	0.0017	0.0017	0.0017	0.0018	0.0018
0.0017	0.0017	0.0017	0.0017	0.0017	0.0017
0.0019	0.0018	0.0018	0.0018	0.0018	0.0018
0.0018	0.0018	0.0020	0.0020	0.0019	0.0019
0.0019	0.0019	0.0018	0.0018	0.0021	0.0021
0.0020	0.0020	0.0020	0.0019	0.0019	0.0019
0.0018	0.0018	0.0018	0.0018	0.0018	0.0019
0.0018	0.0018	0.0018	0.0018	0.0019	0.0019
0.0019	0.0019	0.0019	0.0019	0.0019	0.0019
0.0019	0.0019	0.0019	0.0019	0.0019	0.0019
0.0019	0.0019	0.0020	0.0020	0.0020	0.0020
0.0020	0.0019	0.0020	0.0020	0.0020	0.0020
0.0020	0.0020	0.0020	0.0019	0.0020	0.0021
0.0021	0.0021	0.0021	0.0020	0.0020	0.0019
0.0021	0.0021	0.0021	0.0021	0.0021	0.0020
0.0020	0.0019	0.0021	0.0021	0.0021	0.0021
0.0021	0.0020	0.0019	0.0018	0.0016	0.0016
0.0016	0.0015	0.0015	0.0015	0.0014	0.0013
0.0016	0.0016	0.0016	0.0015	0.0015	0.0015
0.0014	0.0013	0.0016	0.0016	0.0016	0.0015

0.0015	0.0014	0.0014	0.0013	0.0016	0.0016
0.0016	0.0015	0.0015	0.0014	0.0014	0.0013
0.0016	0.0016	0.0016	0.0015	0.0015	0.0014
0.0014	0.0013	0.0016	0.0016	0.0016	0.0016
0.0015	0.0014	0.0014	0.0013	0.0016	0.0016
0.0016	0.0016	0.0015	0.0014	0.0014	0.0012
0.0016	0.0016	0.0016	0.0016	0.0015	0.0014
0.0013	0.0012	0.0012	0.0012	0.0012	0.0012
0.0011	0.0011	0.0010	0.0010	0.0012	0.0012
0.0012	0.0012	0.0012	0.0011	0.0010	0.0010
0.0012	0.0012	0.0012	0.0012	0.0012	0.0011
0.0011	0.0010	0.0012	0.0012	0.0012	0.0012
0.0012	0.0011	0.0011	0.0010	0.0013	0.0012
0.0012	0.0012	0.0012	0.0011	0.0011	0.0010
0.0013	0.0012	0.0012	0.0012	0.0012	0.0011
0.0011	0.0010	0.0013	0.0013	0.0012	0.0012
0.0012	0.0011	0.0010	0.0010	0.0013	0.0013
0.0012	0.0012	0.0011	0.0011	0.0010	0.0010
0.0008	0.0008	0.0008	0.0008	0.0008	0.0007
0.0007	0.0007	0.0009	0.0008	0.0008	0.0008
0.0008	0.0008	0.0007	0.0007	0.0009	0.0009
0.0009	0.0008	0.0008	0.0008	0.0007	0.0007
0.0009	0.0009	0.0009	0.0008	0.0008	0.0008
0.0007	0.0007	0.0009	0.0009	0.0009	0.0009
0.0008	0.0008	0.0007	0.0007	0.0009	0.0009
0.0009	0.0009	0.0008	0.0008	0.0007	0.0007
0.0009	0.0009	0.0009	0.0009	0.0008	0.0008
0.0007	0.0007	0.0009	0.0009	0.0009	0.0009
0.0008	0.0008	0.0007	0.0006	0.0005	0.0005
0.0005	0.0005	0.0005	0.0005	0.0004	0.0004

0.0002	0.0001	0.0001	0.0001	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0001	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000	0.0000	0.0001	0.0000	0.0000	0.0000
0.0000	0.0000	0.0000	0.0001	0.0001	0.0001
0.0000	0.0000	0.0000	0.0000	0.0001	0.0001
0.0001	0.0000	0.0000	0.0000	0.0000	0.0000
0.0001	0.0001	0.0001	0.0000	0.0000	0.0000
0.0000	0.0000				
10.0061	10.0061	10.0061	10.0061	9.9897	9.9636
9.9322	9.8923	10.0061	10.0061	10.0061	10.0061
9.9975	9.9661	9.9289	9.8854	10.0061	10.0061
10.0061	10.0061	9.9972	9.9703	9.9256	9.8785
10.0061	10.0061	10.0061	10.0061	9.9908	9.9592
9.9197	9.8686	10.0061	10.0061	10.0061	10.0061
9.9810	9.9494	9.9138	9.8586	10.0061	10.0061
10.0061	10.0061	9.9788	9.9426	9.9079	9.8487
10.0061	10.0061	10.0061	10.0061	9.9658	9.9267
9.8832	9.8255	10.0061	10.0061	10.0061	9.9831
9.9387	9.9059	9.8585	9.8023	30.0184	30.0184
30.0184	30.0184	29.9691	29.8907	29.7965	29.6768
30.0184	30.0184	30.0184	30.0184	29.9926	29.8982
29.7866	29.6562	30.0184	30.0184	30.0184	30.0184
29.9915	29.9110	29.7767	29.6356	30.0184	30.0184
30.0184	30.0184	29.9724	29.8776	29.7590	29.6057
30.0184	30.0184	30.0184	30.0184	29.9430	29.8482
29.7414	29.5759	30.0184	30.0184	30.0184	30.0184

29.9365	29.8279	29.7237	29.5461	30.0184	30.0184
30.0184	30.0184	29.8973	29.7800	29.6496	29.4765
30.0184	30.0184	30.0184	29.9492	29.8162	29.7177
29.5756	29.4069	55.0337	55.0337	55.0337	55.0337
54.9433	54.7995	54.6268	54.4075	55.0337	55.0337
55.0337	55.0337	54.9865	54.8134	54.6087	54.3697
55.0337	55.0337	55.0337	55.0337	54.9844	54.8368
54.5906	54.3318	55.0337	55.0337	55.0337	55.0337
54.9494	54.7756	54.5582	54.2772	55.0337	55.0337
55.0337	55.0337	54.8955	54.7217	54.5258	54.2225
55.0337	55.0337	55.0337	55.0337	54.8836	54.6844
54.4934	54.1678	55.0337	55.0337	55.0337	55.0337
54.8118	54.5967	54.3576	54.0402	55.0337	55.0337
55.0337	54.9068	54.6631	54.4825	54.2219	53.9126
90.0551	90.0551	90.0551	90.0551	89.9072	89.6720
89.3894	89.0305	90.0551	90.0551	90.0551	90.0551
89.9778	89.6946	89.3597	88.9686	90.0551	90.0551
90.0551	90.0551	89.9745	89.7329	89.3301	88.9067
90.0551	90.0551	90.0551	90.0551	89.9172	89.6328
89.2771	88.8172	90.0551	90.0551	90.0551	90.0551
89.8290	89.5447	89.2241	88.7277	90.0551	90.0551
90.0551	90.0551	89.8096	89.4836	89.1710	88.6382
90.0551	90.0551	90.0551	90.0551	89.6921	89.3400
88.9489	88.4294	90.0551	90.0551	90.0551	89.8475
89.4487	89.1532	88.7268	88.2207	140.0857	140.0857
140.0857	140.0857	139.8556	139.4897	139.0502	138.4918
140.0857	140.0857	140.0857	140.0857	139.9655	139.5250
139.0041	138.3956	140.0857	140.0857	140.0857	140.0857
139.9604	139.5845	138.9580	138.2992	140.0857	140.0857
140.0857	140.0857	139.8711	139.4287	138.8755	138.1600

140.0857	140.0857	140.0857	140.0857	139.7340	139.2917
138.7930	138.0208	140.0857	140.0857	140.0857	140.0857
139.7038	139.1967	138.7105	137.8816	140.0857	140.0857
140.0857	140.0857	139.5210	138.9734	138.3649	137.5569
140.0857	140.0857	140.0857	139.7627	139.1424	138.6828
138.0194	137.2322	215.1316	215.1316	215.1316	215.1316
214.7782	214.2164	213.5413	212.6839	215.1316	215.1316
215.1316	215.1316	214.9471	214.2705	213.4705	212.5360
215.1316	215.1316	215.1316	215.1316	214.9392	214.3619
213.3997	212.3881	215.1316	215.1316	215.1316	215.1316
214.8021	214.1227	213.2731	212.1743	215.1316	215.1316
215.1316	215.1316	214.5915	213.9123	213.1463	211.9606
215.1316	215.1316	215.1316	215.1316	214.5451	213.7663
213.0196	211.7468	215.1316	215.1316	215.1316	215.1316
214.2643	213.4234	212.4890	211.2481	215.1316	215.1316
215.1316	214.6356	213.6830	212.9772	211.9584	210.7494
330.2020	330.2020	330.2020	330.2020	329.6596	328.7973
327.7610	326.4451	330.2020	330.2020	330.2020	330.2020
329.9187	328.8804	327.6524	326.2181	330.2020	330.2020
330.2020	330.2020	329.9066	329.0206	327.5438	325.9911
330.2020	330.2020	330.2020	330.2020	329.6962	328.6534
327.3493	325.6630	330.2020	330.2020	330.2020	330.2020
329.3730	328.3305	327.1549	325.3348	330.2020	330.2020
330.2020	330.2020	329.3018	328.1065	326.9604	325.0067
330.2020	330.2020	330.2020	330.2020	328.8708	327.5801
326.1459	324.2413	330.2020	330.2020	330.2020	329.4407
327.9785	326.8952	325.3314	323.4759	500.3061	500.3061
500.3061	500.3061	499.4842	498.1776	496.6077	494.6137
500.3061	500.3061	500.3061	500.3061	499.8769	498.3036
496.4431	494.2698	500.3061	500.3061	500.3061	500.3061

499.8586	498.5160	496.2785	493.9259	500.3061	500.3061
500.3061	500.3061	499.5398	497.9597	495.9838	493.4287
500.3061	500.3061	500.3061	500.3061	499.0499	497.4704
495.6892	492.9316	500.3061	500.3061	500.3061	500.3061
498.9421	497.1310	495.3944	492.4344	500.3061	500.3061
500.3061	500.3061	498.2892	496.3335	494.1604	491.2747
500.3061	500.3061	500.3061	499.1526	496.9371	495.2958
492.9264	490.1149	750.4592	750.4592	750.4592	750.4592
749.2264	747.2665	744.9115	741.9207	750.4592	750.4592
750.4592	750.4592	749.8153	747.4554	744.6646	741.4048
750.4592	750.4592	750.4592	750.4592	749.7879	747.7740
744.4177	740.8889	750.4592	750.4592	750.4592	750.4592
749.3097	746.9396	743.9758	740.1431	750.4592	750.4592
750.4592	750.4592	748.5749	746.2056	743.5338	739.3974
750.4592	750.4592	750.4592	750.4592	748.4131	745.6965
743.0917	738.6517	750.4592	750.4592	750.4592	750.4592
747.4337	744.5002	741.2406	736.9120	750.4592	750.4592
750.4592	748.7289	745.4056	742.9437	739.3896	735.1724
1100.6735	1100.6735	1100.6735	1100.6735	1098.8652	1095.9908
1092.5369	1088.1503	1100.6735	1100.6735	1100.6735	1100.6735
1099.7291	1096.2681	1092.1748	1087.3937	1100.6735	1100.6735
1100.6735	1100.6735	1099.6890	1096.7352	1091.8127	1086.6370
1100.6735	1100.6735	1100.6735	1100.6735	1098.9874	1095.5115
1091.1646	1085.5432	1100.6735	1100.6735	1100.6735	1100.6735
1097.9099	1094.4348	1090.5161	1084.4495	1100.6735	1100.6735
1100.6735	1100.6735	1097.6726	1093.6882	1089.8678	1083.3558
1100.6735	1100.6735	1100.6735	1100.6735	1096.2361	1091.9337
1087.1530	1080.8042	1100.6735	1100.6735	1100.6735	1098.1357
1093.2617	1089.6508	1084.4381	1078.2528	1600.9795	1600.9795
1600.9795	1600.9795	1598.3495	1594.1686	1589.1445	1582.7640

1600.9795	1600.9795	1600.9795	1600.9795	1599.6060	1594.5714
1588.6178	1581.6636	1600.9795	1600.9795	1600.9795	1600.9795
1599.5474	1595.2513	1588.0913	1580.5627	1600.9795	1600.9795
1600.9795	1600.9795	1598.5272	1593.4712	1587.1483	1578.9720
1600.9795	1600.9795	1600.9795	1600.9795	1596.9598	1591.9054
1586.2054	1577.3811	1600.9795	1600.9795	1600.9795	1600.9795
1596.6147	1590.8191	1585.2622	1575.7903	1600.9795	1600.9795
1600.9795	1600.9795	1594.5254	1588.2672	1581.3134	1572.0790
1600.9795	1600.9795	1600.9795	1597.2883	1590.1987	1584.9465
1577.3645	1568.3679	2301.4080	2301.4080	2301.4080	2301.4080
2297.6274	2291.6174	2284.3955	2275.2234	2301.4080	2301.4080
2301.4080	2301.4080	2299.4338	2292.1965	2283.6382	2273.6411
2301.4080	2301.4080	2301.4080	2301.4080	2299.3494	2293.1738
2282.8811	2272.0591	2301.4080	2301.4080	2301.4080	2301.4080
2297.8831	2290.6147	2281.5259	2269.7722	2301.4080	2301.4080
2301.4080	2301.4080	2295.6299	2288.3640	2280.1702	2267.4851
2301.4080	2301.4080	2301.4080	2301.4080	2295.1338	2286.8025
2278.8142	2265.1987	2301.4080	2301.4080	2301.4080	2301.4080
2292.1304	2283.1340	2273.1379	2259.8635	2301.4080	2301.4080
2301.4080	2296.1021	2285.9106	2278.3606	2267.4614	2254.5288
3101.8979	3101.8979	3101.8979	3101.8979	3096.8022	3088.7017
3078.9675	3066.6052	3101.8979	3101.8979	3101.8979	3101.8979
3099.2368	3089.4824	3077.9473	3064.4729	3101.8979	3101.8979
3101.8979	3101.8979	3099.1233	3090.7996	3076.9268	3062.3401
3101.8979	3101.8979	3101.8979	3101.8979	3097.1465	3087.3503
3075.1001	3059.2581	3101.8979	3101.8979	3101.8979	3101.8979
3094.1096	3084.3167	3073.2727	3056.1758	3101.8979	3101.8979
3101.8979	3101.8979	3093.4412	3082.2122	3071.4456	3053.0938
3101.8979	3101.8979	3101.8979	3101.8979	3089.3926	3077.2676
3063.7947	3045.9031	3101.8979	3101.8979	3101.8979	3094.7461

3081.0098	3070.8337	3056.1436	3038.7124	3902.3875	3902.3875
3902.3875	3902.3875	3895.9766	3885.7859	3873.5396	3857.9873
3902.3875	3902.3875	3902.3875	3902.3875	3899.0398	3886.7681
3872.2561	3855.3049	3902.3875	3902.3875	3902.3875	3902.3875
3898.8967	3888.4250	3870.9724	3852.6218	3902.3875	3902.3875
3902.3875	3902.3875	3896.4102	3884.0859	3868.6741	3848.7444
3902.3875	3902.3875	3902.3875	3902.3875	3892.5891	3880.2693
3866.3755	3844.8660	3902.3875	3902.3875	3902.3875	3902.3875
3891.7485	3877.6218	3864.0767	3840.9888	3902.3875	3902.3875
3902.3875	3902.3875	3886.6558	3871.4014	3854.4514	3831.9424
3902.3875	3902.3875	3902.3875	3893.3904	3876.1096	3863.3071
3844.8262	3822.8962	4802.9385	4802.9385	4802.9385	4802.9385
4795.0483	4782.5054	4767.4331	4748.2920	4802.9385	4802.9385
4802.9385	4802.9385	4798.8179	4783.7144	4765.8535	4744.9902
4802.9385	4802.9385	4802.9385	4802.9385	4798.6421	4785.7534
4764.2734	4741.6885	4802.9385	4802.9385	4802.9385	4802.9385
4795.5820	4780.4136	4761.4448	4736.9165	4802.9385	4802.9385
4802.9385	4802.9385	4790.8799	4775.7158	4758.6162	4732.1431
4802.9385	4802.9385	4802.9385	4802.9385	4789.8442	4772.4580
4755.7871	4727.3706	4802.9385	4802.9385	4802.9385	4802.9385
4783.5762	4764.8013	4743.9399	4716.2368	4802.9385	4802.9385
4802.9385	4791.8647	4770.5962	4754.8398	4732.0933	4705.1030
5803.5508	5803.5508	5803.5508	5803.5508	5794.0171	5778.8613
5760.6484	5737.5200	5803.5508	5803.5508	5803.5508	5803.5508
5798.5718	5780.3218	5758.7397	5733.5298	5803.5508	5803.5508
5803.5508	5803.5508	5798.3599	5782.7861	5756.8306	5729.5405
5803.5508	5803.5508	5803.5508	5803.5508	5794.6611	5776.3330
5753.4126	5723.7734	5803.5508	5803.5508	5803.5508	5803.5508
5788.9795	5770.6572	5749.9946	5718.0063	5803.5508	5803.5508
5803.5508	5803.5508	5787.7285	5766.7197	5746.5757	5712.2397

5803.5508	5803.5508	5803.5508	5803.5508	5780.1548	5757.4683
5732.2612	5698.7861	5803.5508	5803.5508	5803.5508	5790.1699
5764.4702	5745.4312	5717.9463	5685.3330	6804.1626	6804.1626
6804.1626	6804.1626	6792.9854	6775.2168	6753.8638	6726.7476
6804.1626	6804.1626	6804.1626	6804.1626	6798.3257	6776.9292
6751.6255	6722.0693	6804.1626	6804.1626	6804.1626	6804.1626
6798.0771	6779.8179	6749.3877	6717.3916	6804.1626	6804.1626
6804.1626	6804.1626	6793.7412	6772.2520	6745.3804	6710.6304
6804.1626	6804.1626	6804.1626	6804.1626	6787.0791	6765.5977
6741.3726	6703.8696	6804.1626	6804.1626	6804.1626	6804.1626
6785.6128	6760.9819	6737.3652	6697.1084	6804.1626	6804.1626
6804.1626	6804.1626	6776.7329	6750.1353	6720.5820	6681.3359
6804.1626	6804.1626	6804.1626	6788.4746	6758.3442	6736.0225
6703.7983	6665.5630	7804.7749	7804.7749	7804.7749	7804.7749
7791.9531	7771.5718	7747.0791	7715.9746	7804.7749	7804.7749
7804.7749	7804.7749	7798.0796	7773.5361	7744.5122	7710.6099
7804.7749	7804.7749	7804.7749	7804.7749	7797.7935	7776.8501
7741.9448	7705.2437	7804.7749	7804.7749	7804.7749	7804.7749
7792.8203	7768.1719	7737.3481	7697.4888	7804.7749	7804.7749
7804.7749	7804.7749	7785.1782	7760.5386	7732.7510	7689.7319
7804.7749	7804.7749	7804.7749	7804.7749	7783.4971	7755.2437
7728.1533	7681.9775	7804.7749	7804.7749	7804.7749	7804.7749
7773.3115	7742.8027	7708.9028	7663.8848	7804.7749	7804.7749
7804.7749	7786.7808	7752.2192	7726.6143	7689.6523	7645.7925
8680.3105	8680.3105	8680.3105	8680.3105	8666.0518	8643.3828
8616.1436	8581.5479	8680.3105	8680.3105	8680.3105	8680.3105
8672.8643	8645.5664	8613.2871	8575.5820	8680.3105	8680.3105
8680.3105	8680.3105	8672.5459	8649.2529	8610.4316	8569.6133
8680.3105	8680.3105	8680.3105	8680.3105	8667.0146	8639.6016
8605.3193	8560.9893	8680.3105	8680.3105	8680.3105	8680.3105

8658.5166	8631.1123	8600.2070	8552.3623	8680.3105	8680.3105
8680.3105	8680.3105	8656.6455	8625.2227	8595.0938	8543.7383
8680.3105	8680.3105	8680.3105	8680.3105	8645.3174	8611.3867
8573.6826	8523.6172	8680.3105	8680.3105	8680.3105	8660.2979
8621.8584	8593.3818	8552.2734	8503.4941	9430.7695	9430.7695
9430.7695	9430.7695	9415.2783	9390.6494	9361.0547	9323.4688
9430.7695	9430.7695	9430.7695	9430.7695	9422.6787	9393.0234
9357.9521	9316.9854	9430.7695	9430.7695	9430.7695	9430.7695
9422.3340	9397.0283	9354.8496	9310.5029	9430.7695	9430.7695
9430.7695	9430.7695	9416.3252	9386.5410	9349.2949	9301.1318
9430.7695	9430.7695	9430.7695	9430.7695	9407.0918	9377.3184
9343.7412	9291.7598	9430.7695	9430.7695	9430.7695	9430.7695
9405.0586	9370.9199	9338.1865	9282.3887	9430.7695	9430.7695
9430.7695	9430.7695	9392.7510	9355.8867	9314.9238	9260.5264
9430.7695	9430.7695	9430.7695	9409.0264	9367.2646	9336.3252
9291.6631	9238.6670				
0.0000	0.0000	0.0000	0.0000	57.1678	148.0451
257.2551	395.9436	0.0000	0.0000	0.0000	0.0000
29.8558	139.2903	268.7019	419.8674	0.0000	0.0000
0.0000	0.0000	31.1276	124.5106	280.1488	443.7913
0.0000	0.0000	0.0000	0.0000	53.3033	163.2054
300.6454	478.3713	0.0000	0.0000	0.0000	0.0000
87.3732	197.2409	321.1422	512.9514	0.0000	0.0000
0.0000	0.0000	94.8756	220.8526	341.6389	547.5314
0.0000	0.0000	0.0000	0.0000	140.2942	276.3247
427.4756	628.2017	0.0000	0.0000	0.0000	80.2348
234.3408	348.5021	513.3124	708.8719		

APPENDIX B: TEXT OF PROGRAM

A. JAWAWEATHER.JAVA

```
import java.io.*;

import java.net.*;

import java.text.*;

import java.util.*;

import java.util.regex.*;

import mil.navy.nrlssc.dmap.TEDServices.Constants.*;

import mil.navy.nrlssc.dmap.TEDServices.Enumerations.*;

import mil.navy.nrlssc.dmap.TEDServices.DatabaseInterfaceModule.*;

import mil.navy.nrlssc.dmap.TEDServices.DatabaseInterfaceModule.Common.*;

import mil.navy.nrlssc.dmap.TEDServices.DatabaseInterfaceModule.InterfacePkg.*;

import mil.navy.nrlssc.dmap.TEDServices.InterfaceSupport.*;

import mil.navy.nrlssc.dmap.TEDServices.TEDSServer.*;

import mil.navy.nrlssc.dmap.TEDServices.TedsTransmittalModel.*;

/**
 * JEMWeather.java
 *
 * <br>This interface sets all the base standards for JEMWeather
 *
 * @author LCDR Victor Ross, USN
 * @version 1.0
 *
 */

interface JEMConstant {

/**
```

```

* Default TEDServices.

* Must be an IP address or a DNS entry

*/

public static String database = "207.85.236.26";

/**

* Port Contact Number.

* <br>Use 80 for unsecure<br>Use 443 for SSL

*/

public int port = 80;

/**

* TEDServices User Name.

*/

public String uName = "abroc2000";

/**

* TEDServices Password.

*/

public String uPass = "map.zxcv";

/**

* TEDServices Height Coordinates.

* <br>Choices are MILLIBAR, COAMPS_SIGMA, DISTANCE

*/

public String htCoord = "METER";

/**

* 3D Parameters to Retrieve - MUST BE IN ORDER SHOWN.

* Minimum Parameters for JEM/HPAC MEDOC format =

```

```

*   String[]{
*   <br>"U_WIND",
*   <br>"V_WIND",
*   <br>"W_WIND",
*   <br>"POTENTIAL_TEMPERATURE",
*   <br>"WATER_VAPOR_MIXING_RATIO",
*   <br>"TOTAL_PRESSURE"};
*/

public String[] strAttributeCodes3 = new String[]{"U_WIND", "V_WIND",
"W_WIND", "POTENTIAL_TEMPERATURE", "WATER_VAPOR_MIXING_RATIO",
"TOTAL_PRESSURE"};

/**
* 2D Parameters to Retrieve.
* <br>Minimum Parameters for JEM/HPAC MEDOC format =
*   String[]{"TERRAIN_HEIGHT"};
*/

public String[] strAttributeCodes2 = new String[]{"TERRAIN_HEIGHT"};

/**
* Tau increment in hours.
* <br>example int tauInc = 1;
*/

public int tauInc = 1;

/**
* Output Directory to Write MEDOC Formatted File.
* <br>example String outputDir = "C:\\Temp\\";
*/

public String outputDir = "/tmp/";

```

```
}
```

```
/**
```

```
 * JEMWeather.java
```

```
 *
```

```
 * <br>This class should pull basic data from TEDServices
```

```
 * for use by HPAC/JEM.
```

```
 *
```

```
 * @author LCDR Victor Ross, USN
```

```
 * @version 0.7
```

```
 */
```

```
public class JEMWeather implements JEMConstant{
```

```
 /**
```

```
  * Taus to Retrieve.
```

```
  *   This is collected from the database in real time.
```

```
 */
```

```
public int[] taus;
```

```
 /**
```

```
  * Bounding Box.
```

```
  *   use float[]{North (Lat) ,South (Lat) ,East (Lon) ,West (Lon)};
```

```
  *   <br>Example float[]{35.0f,29.0f,-115.0f,-121.0f};
```

```
 */
```

```
public float[] bBox = new float[4];
```

```
 /**
```

```
  * Hash Map of JEM/HPAC ID to TEDServices ID.
```

```

*/
public HashMap convertTable = new HashMap();

/**
 * PrintWriter to hold all output for printing to file.
 */
public PrintWriter pw;

/**
 * Holds the pressure data for calculation.
 */
public float[][][] presData;

/**
 * Default Constructor
 * @param inBox Float Array of Positions [N,S,E,W]
 * @param incidentTime String of the time of the WMD/WME
 */
public JEMWeather(float[] inBox, String incidentTime) {
    taus = tauCalc(incidentTime);
    // Set the database
    String host = database;
    // check that the lat lon values are good
    if (inBox[0] > 90 || inBox[0] <-90 || inBox[1] > 90 || inBox[1] <-90) {
        System.out.println("That Latitude does not exist!");
        System.exit(1);
    }
    if (inBox[2] > 180 || inBox[2] <-180 || inBox[3] > 180 || inBox[3] <-180) {
        System.out.println("That Longitude does not exist!");
        System.exit(1);
    }
}

```

```

}

bBox = inBox;

// COMBINE 2D and 3D Attributes

/**
 * Combined Parameters to Retrieve.
 */

int totalAttributes = strAttributeCodes3.length+strAttributeCodes2.length;

String[] strAttributeCodes = new String[totalAttributes];

int tempi = 0;

for (int i=0; i<strAttributeCodes3.length; i++) {
    strAttributeCodes[tempi]=strAttributeCodes3[i];
    tempi++;
}

for (int i=0; i<strAttributeCodes2.length; i++) {
    strAttributeCodes[tempi]=strAttributeCodes2[i];
    tempi++;
}

// CREATE CROSSTABLE FOR JEM/HPAC and TEDServices

convertTable.put("U_WIND", "U:M/S");

convertTable.put("V_WIND", "V:M/S");

convertTable.put("W_WIND", "W:M/S");

convertTable.put("POTENTIAL_TEMPERATURE", "T:KELVIN");

convertTable.put("WATER_VAPOR_MIXING_RATIO", "H:GM/GM");

//PULLED DATA AS A PLACE HOLDER

convertTable.put("TOTAL_PRESSURE", "PHI:METERS");

convertTable.put("TERRAIN_HEIGHT", "TOPO:METERS");

convertTable.put("PLANETARY_BOUNDARY_LAYER_HEIGHT", "ZI:METERS");

convertTable.put("LATENT_HEAT_FLUX", "HFLX:W/M2");

try {

    APIInterface api = new APIInterface(host, port, uName, uPass);

```

```

GridParameters3D gridParameters = new GridParameters3D((byte)0,
    "ATMOSPHERIC_FORECAST",
    taus,
    strAttributeCodes,
    bBox[3],
    bBox[1],
    bBox[2],
    bBox[0],
    false // set to false since not a subscription
);

Grid3D[] grids = api.getGrids(gridParameters);
//showGrids(grids);
writeMEDOC(grids);
}
catch(Exception e){
    System.err.println("Error in JEMWeather constructor: " + e);
    e.printStackTrace();
}
} //finishes constructor

/**
 * Show Collected Grid Information.
 * @param gridsOut The grids collected from TEDService
 * Shows the information about the grids returned from TEDServices
 */
public void showGrids(Grid3D[] gridsOut) {
    try{
        System.out.println("retrieved " + gridsOut.length + " grid3d objects");
        for (int i = 0; i < gridsOut.length; i++){
            System.out.println("----->got a 3d grid back<-----");

```

```

System.out.println("grid parameter is " + gridsOut[i].parameterName);

// extract grid information

double xResolution = gridsOut[i].xAxisSpacing;

double yResolution = gridsOut[i].yAxisSpacing;

double[] zLevel = gridsOut[i].zAxisValueArray;

bBox = gridsOut[i].getBoundingBox();

// extract actual grid point values

float[][][] gridData = gridsOut[i].data;

int gL=gridsOut[i].data.length;

int gW=gridsOut[i].data[0].length;

int gH=gridsOut[i].data[0][0].length;

System.out.println("grid has " + gL + " levels " + gW + " rows and " +
gH + " columns ");

System.out.println("grid spacings are");

System.out.println(" X:" + xResolution + " " +
gridsOut[i].horizontalAxesUnitName );

System.out.println(" Y:" +yResolution + " " +
gridsOut[i].horizontalAxesUnitName);

System.out.print(" Z:");

for (int j=0;j<zLevel.length; j++) {System.out.print("l"+j+"
"+zLevel[j]+"-");}

System.out.println(" "+gridsOut[i].verticalAxesUnitName);

System.out.println("output time period is " +
gridsOut[i].forecastRunTimeString);

System.out.println("TAU is " + gridsOut[i].forecastEventTime);

System.out.println("The origin is " + gridsOut[i].longitude + " " +
gridsOut[i].latitude);

System.out.println("The borders are N:"+bBox[3]+" S:"+ bBox[1]+"
E:"+bBox[2]+" W:"+bBox[0]);

System.out.println("=====");

```

```

    }
} catch (Exception e) {
    System.out.println(e);
}
}

/**
 * Write Collected Grid Information to File in MEDOC Format.
 * @param gridsOut The grids collected from TEDServices
 * Writes out the information about the grids returned from TEDServices
 */
public void writeMEDOC(Grid3D[] gridsOut) {
    try {
        // Delete the old file if it exists
        File nFile = new File(outputDir+"JEM.fmt");
        if (nFile.exists()) {
            nFile.delete();
        }
        OutputStream fos = new FileOutputStream(outputDir+"JEM.fmt");
        pw = new PrintWriter(fos, true);
        DecimalFormat form = new DecimalFormat("#0.0000"); // Set up the Number
Formatting
        int numberGrids = gridsOut.length; // run the loops to
write out the required MEDOC DATA
        for (int t=0; t<taus.length; t++) {
            int i = 0;
            for (int k=0; k<numberGrids; k++) { // FIND CORRECT FIELDS
TO USE FOR THE HEADER
                if (gridsOut[k].verticalAxesUnitName.equals(htCoord) &&
                    gridsOut[k].forecastEventTime == taus[t] &&
                    gridsOut[k].data.length > 1) { // Change to correct
value when known

```

```

        i = k;
    }
}

// Determine the VT of the grid

Pattern pat = Pattern.compile("[. ]");

String strs[] = pat.split(gridOut[i].forecastRunTimeString);

int cTau = gridOut[i].forecastEventTime;

float[] latlon = gridOut[i].getBoundingBox();

// CREATE THE VALID TIME OF THE GRID

Calendar validTime = Calendar.getInstance();

validTime.clear();

validTime.set((int)Integer.parseInt(strs[0]), // Set the Year
              (int)Integer.parseInt(strs[1])-1, // Set the Month
              (int)Integer.parseInt(strs[2]), // Set the Date
              (int)Integer.parseInt(strs[3]), // Set the Hours
              0, 0); // Set the Minutes and Seconds

validTime.add(Calendar.HOUR_OF_DAY, cTau);

int correctMonth = validTime.get(Calendar.MONTH)+1;

String temp = ""+validTime.get(Calendar.YEAR);

String tempYear = temp.substring(2);

double[] zLevel = gridOut[i].zAxisValueArray; // Get the
zLevel information

// OUTPUT THE HEADER INFORMATION TO THE FILE

pw.println("FFFFFFFF"); // LINE #1

pw.println("NRLCOAMPS"); // LINE #2

writerSpace(""+validTime.get(Calendar.DAY_OF_MONTH)); // LINE #3

writerSpace(""+correctMonth);

writerSpace(""+tempYear);

writerSpace(""+validTime.get(Calendar.HOUR_OF_DAY));

writerSpace("0");

```

```

writeRSpace("0");

pw.println();

writeRSpace(""+validTime.get(Calendar.DAY_OF_MONTH));           // LINE #4
writeRSpace(""+correctMonth);
writeRSpace(""+tempYear);
writeRSpace(""+validTime.get(Calendar.HOUR_OF_DAY));
writeRSpace("0");
writeRSpace("0");
pw.println();
writeRSpace(""+gridsOut[i].data[0][0].length);                 // LINE #5
writeRSpace(""+gridsOut[i].data[0].length);
int zDataLen = gridsOut[i].data.length;
if (gridsOut[i].data.length > 20) {
    writeRSpace("20");
    zDataLen = 20;
} else {
    writeRSpace(""+gridsOut[i].data.length);
}
writeRSpace("0");
writeRSpace(""+strAttributeCodes3.length);
writeRSpace(""+strAttributeCodes2.length);
pw.println();
writeRSpace("0");                                           // LINE #6
writeRSpace("0");
writeRSpace("0");
writeRSpace("0");
writeRSpace("0");
writeRSpace("0");
pw.println();
writeRSpace("0");                                           // LINE #7

```

```

writeRSpace("0");
writeRSpace("0");
pw.println();
int tempv = 0;
for (int j=0; j<zDataLen; j++) { // LINE #8
    writeRSpace(""+form.format(zLevel[j]));
    tempv++;
    if (tempv == 6) {
        pw.println();
        tempv = 0;
    }
}
writeRSpace(""+form.format(gridOut[i].xAxisSpacing));
writeRSpace(""+form.format(gridOut[i].yAxisSpacing));
writeRSpace("-999999.0000");
writeRSpace("-999999.0000");
pw.println();
writeRSpace(""+form.format(latlon[1]));
writeRSpace(""+form.format(latlon[0]));
writeRSpace("0.0000");
writeRSpace("0.0000");
writeRSpace("0.0000");
writeRSpace("0.0000");
pw.println();
writeRSpace("0.0000");
pw.println();
Pattern patt = Pattern.compile("[:]");
StringBuffer param3D = new StringBuffer("");
StringBuffer units3D = new StringBuffer("");
for (int j=0; j<strAttributeCodes3.length; j++) {

```

```

        String tempSearch =
""+(String)convertTable.get(strAttributeCodes3[j]);

        if (tempSearch.equals("null")) {
            tempSearch = "junk:junk";
        }

        String pu[] = patt.split(tempSearch);
        param3D.append(writeLSpace(pu[0]));
        units3D.append(writeLSpace(pu[1]));
    }

    pw.println(param3D);
    pw.println(units3D);

    StringBuffer param2D = new StringBuffer("");
    StringBuffer units2D = new StringBuffer("");
    for (int j=0; j<strAttributeCodes2.length; j++) {
        String tempSearch =
""+(String)convertTable.get(strAttributeCodes2[j]);

        if (tempSearch.equals("null")) {
            tempSearch = "junk:junk";
        }

        String pu[] = patt.split(tempSearch);
        param2D.append(writeLSpace(pu[0]));
        param2D.append(writeLSpace(pu[1]));
    }

    pw.println(param2D);

    // FIND PRESSURE GRID

    for (int k=0; k<numberGrids; k++) {
        if (gridsOut[k].parameterName.equals("TOTAL_PRESSURE")) {
            presData = gridsOut[k].data;
        }
    }
}

```

```

// WRITE OUT 3D GRIDS

for (int k=0; k<numberGrids; k++) {
    if (gridsOut[k].forecastEventTime == taus[t]) {
        tempv = 0;

        float[][][] gridData = gridsOut[k].data;
        int zT=gridsOut[k].data.length;
        if (gridsOut[k].data.length > 20) {zT=20;}
        for (int zt = 0; zt<zT; zt++) {
            for (int yt = 0; yt<gridsOut[k].data[0].length; yt++) {
                for (int xt = 0; xt<gridsOut[k].data[0][0].length; xt++) {
                    if (gridsOut[k].parameterName.equals("TOTAL_PRESSURE")) {
                        Double sigma = new Double(zLevel[zt]);
                        float mHeight = (((float)34800.0 -
gridsOut[k+1].data[0][yt][xt]) * sigma.floatValue()/(float)34800.0);
                        gridData[zt][yt][xt] = mHeight*(float)9.806/(float)9.8;
                    }
                    writeRSpace(""+form.format(gridData[zt][yt][xt]));
                    tempv++;
                    if (tempv == 6) {
                        tempv=0;
                        pw.println();
                    }
                }
            }
        }
        if (tempv != 0) {
            pw.println();
        }
    }
}

```

```

    }
}

pw.close();

fos.close();

} catch (Exception e) {

    System.out.println("The error in writing the file was:"+e);

}

}

/**
 * Write output data in Right Justified 12 space format required.
 * Writes out the information about the grids returned from TEDServices
 * @param inString Input String to be formatted
 * @return outString The formatted String
 */

public void writeRSpace(String inString) {

    StringBuffer outString = new StringBuffer("          !");

    outString.replace(12-inString.length(),12,inString);

    outString.append(" ");

    pw.print(outString);

}

/**
 * Write output data in Left Justified 9 space format required.
 * Writes out the information about the grids returned from TEDServices
 * @param inString Input String to be formatted
 * @return outString The formatted String
 */

public StringBuffer writeLSpace(String inString) {

    StringBuffer outString = new StringBuffer("          ");

}

```

```

        outString.replace(0,inString.length(),inString);

        return outString;
    }

/**
 * Collect a web page for parsing.
 * Collects the TEDServices Thin Client information for data checking
 * @param whatPage URL to be collected
 * @return tPageContent The StringBuffer containing the entire page
 */
public StringBuffer getPage(String whatPage) {
    StringBuffer tPageContent = new StringBuffer("");
    try {
        int c;

        URL TEDSurl = new URL(whatPage);

        URLConnection checking = TEDSurl.openConnection();

        InputStream input = checking.getInputStream();

        int i = checking.getContentLength();

        while (((c=input.read()) != -1)) { // && (--i > 0)) {
            tPageContent.append((char) c);
        }

        input.close();
    } catch (Exception e) {
        System.out.println("ERROR"+e);
    }

    return tPageContent;
}

/**
 * Find out Which Taus need to be retrieved.

```

```

* Checks TEDServices and decides which data should be pulled based upon
* the inString and the available data
* @param inString The date formatted as 2003.09.19.00.00
* @return tauList An integer array of the taus to be collected from
TEDServices

*/

public int[] tauCalc(String inString) {

    String cDTG = "";

    int[] DTGTLList = new int[]{0};

    try {

        // Get most recent run time

        String runTime =
"http://" + database + "/servlet/TEDSThinClientServlet?storeSource=VNE&classificati
on=ATMOSPHERIC_FORECAST";

        StringBuffer pageContent = getPage(runTime);

        int lastOption = pageContent.lastIndexOf("<option value=");

        cDTG = pageContent.substring(lastOption+15, lastOption+38);

        String lastDTG =
pageContent.substring(lastOption+15, lastOption+38).replace(' ', '+');

        // Get taus

        TreeSet tauSet = new TreeSet();

        String tauTime =
"http://" + database + "/servlet/TEDSThinClientServlet?storeSource=VNE&classificati
on=ATMOSPHERIC_FORECAST&forecastRunTime="+lastDTG;

        pageContent = new StringBuffer("");

        pageContent = getPage(tauTime);

        int option = 1, optionEnd, lastFind = 1;

        while (option > 0) {

            option = pageContent.indexOf("<option value=", lastFind);

            optionEnd = pageContent.indexOf("\\"", option+15);

            lastFind = optionEnd;

            if (option > 0 ) {

```

```

tauSet.add(Integer.valueOf(pageContent.substring(option+15,optionEnd)));
    }
}

DTGTLlist = new int[tauSet.size()];
Iterator itr = tauSet.iterator();
int dumi = 0;

while(itr.hasNext()) {
    DTGTLlist[dumi] = ((Integer)itr.next()).intValue();
    dumi++;
}
} catch (Exception e) {
    System.out.println("ERROR"+e);
}

// calc the tau to start counting with
Pattern pat = Pattern.compile("[. ]");

// CREATE THE VALID TIME OF THE INCIDENT
String strs[] = pat.split(inString);
Calendar eventTime = Calendar.getInstance();
eventTime.clear();

eventTime.set((int)Integer.parseInt(strs[0]), // Set the Year
              (int)Integer.parseInt(strs[1]), // Set the Month
              (int)Integer.parseInt(strs[2]), // Set the Date
              (int)Integer.parseInt(strs[3]), // Set the Hours
              0);                               // Set the Minutes

// CREATE THE VALID TIMES FOR EACH TAU AND CHECK IF GREATER THAN INCIDENT
TIME

Stack st = new Stack();

String strs2[] = pat.split(cDTG);

Calendar tauTime = Calendar.getInstance();

```

```

for (int i=DTGTLList.length-1; i>-1; i--) {
    tauTime.clear();
    tauTime.set((int)Integer.parseInt(strs2[0]), // Set the Year
                (int)Integer.parseInt(strs2[1]), // Set the Month
                (int)Integer.parseInt(strs2[2]), // Set the Date
                (int)Integer.parseInt(strs2[3]), // Set the Hours
                0); // Set the Minutes
    tauTime.add(Calendar.HOUR, DTGTLList[i]);
    if (tauTime.after(eventTime)) {
        st.push(new Integer(DTGTLList[i]));
    }
}

// Convert the list back to an integer array for use in the Grid3D call
int ll = st.size();
int[] tauList = new int[ll];
for (int i=0; i<ll; i++) {
    Integer a = (Integer)st.pop();
    tauList[i] = a.intValue();
}
return tauList;
}

public static void main(String[] args) {

    if (args.length == 5){

```

```
        float[] inBox = new
float[]{Float.parseFloat(args[0]),Float.parseFloat(args[1]),Float.parseFloat(ar
gs[2]),Float.parseFloat(args[3])};

        new JEMWeather(inBox, args[4]);

    } else {

        System.out.println("Usage:  JEMWeather <North> <South> <East> <West>
<YYYY.MM.DD.HH.MM>");

        System.out.println("Example: JEMWeather 33.0 32.5 -117.0 -117.5
2003.09.09.14.00");

        System.exit(1);

    }

}

}
```

LIST OF REFERENCES

Defense Threat Reduction Agency. *Hazard Prediction and Assessment Capability User Guide*. February 2003.

Integrated Chemical and Biological Defense Research, Development and Acquisition Plan. *Chemical & Biological Point Detection Decontamination Information Systems*. April 2003.

Joint Effects Model Integrated Product Team. [<http://www.jointeffectsmodel.org/JEM/Portal/Virtual%20Prototype/>]. September 2003.

Naval Research Laboratory - Stennis Space Center. *TEDServices 2.2 Application Programming Interface Documentation*. September 2003.

Oceanographer of the Navy (N096). (2002, March). *Naval Oceanography Program Operational Concept*. Washington, DC: U.S. Government Printing Office.

Office of the Federal Coordinator for Meteorological Services and Supporting Research (OFCM). (2002, August). *Atmospheric Modeling of Releases from Weapons of Mass Destruction: Response by Federal Agencies in Support of Homeland Security*. Washington, DC: U.S. Government Printing Office.

Ozone Database Project. "What is it?." [<http://www.ozone-db.org/frames/home/what.html>]. September 2003.

Schildt, Herbert. *Java 2: The Complete Reference, Fifth Edition*. McGraw-Hill, 2002.

Statement by Dr. Anna Johnson-Winegar. Deputy Assistant to the Secretary of Defense for Chemical and Biological Defense. to the House Government Reform Committee, Subcommittee on National Security, Emerging Threats, and International Relations. 2 June 2003.

THIS PAGE INTENTIONALLY LEFT BLANK

INITIAL DISTRIBUTION LIST

1. Defense Technical Information Center
Ft. Belvoir, VA
2. Dudley Knox Library
Naval Postgraduate School
Monterey, CA
3. Prof. Neil Rowe
Naval Postgraduate School
Monterey, CA
4. Prof. Chuck Wash
Naval Postgraduate School
Monterey, CA
5. Captain Joe Atangan, USN (N5)
Commander Naval Meteorology and Oceanography Command
Stennis Space Center, MS
6. John Shea
Space and Warfare Command, PMW 150
San Diego, CA
7. John Raby
U.S. Army Research Laboratory
White Sands Missile Range, NM
8. Commander Bruce Morris, USN
Naval Pacific Meteorology and Oceanography Center -
San Diego
San Diego, CA